

Thank you Mom & dad

Thanks for not drinking
when you were pregnant
with me! ☺



Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.



saskatchewan
preventioninstitute
our goal is **healthy** children



Watch on YouTube™

Thanks
Mom
Thanks for not
Drinking when
you were pregnant
with me



Drinking alcohol during pregnancy can cause Fetal Alcohol Spectrum Disorder (FASD). FASD is a permanent disability that includes brain damage and birth defects.



saskatchewan
preventioninstitute
our goal is **healthy** children



Watch on YouTube

kinanāskomitin
nikāwiyy
ī kā ī ōcih
minīkwīn kā kī
kikiskawīn!



Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.



Watch on YouTube

For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children



Thanks Mom.
Thanks for not
drinking when
you were pregnant
with me.

I'll do
everything
I can to
protect
my baby.

Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.


For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children



Watch on YouTube



Thanks Mom!
Thanks for not
drinking when
you were
pregnant
with me.

Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.



Watch on YouTube™

For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children

Merci maman
de ne pas avoir
consommé de
boissons alcoolisées
durant ta grossesse.



Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.



Watch on YouTube

For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children

Thank-you
mom.

Thank-you
for not
drinking
when you
were
pregnant
with
me.



Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.

For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children



Watch on YouTube™



Thank you mom
Thanks for not drinking
while you were
pregnant with
me 😊

Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.

For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children



Watch on **YouTube**



Thanks mom
Thanks for not
drinking while
you were pregnant
with me.

Drinking alcohol during pregnancy
can cause Fetal Alcohol Spectrum Disorder (FASD).
FASD is a permanent disability that includes
brain damage and birth defects.

For more information: www.skprevention.ca
1319 Colony Street, Saskatoon, SK S7N 2Z1
Phone 306.651.4300 • Fax. 306.651.4301



saskatchewan
preventioninstitute
our goal is **healthy** children



Watch on **YouTube**