

REFERENCES



ARA MODULE REFERENCES

References

- Aase, J. M., Jones, K. L., & Clarren, S. K. (1995). Do we need the term "FAE"? *Pediatrics*, *95*, 428-430.
- Abel, E. L. (1993). Rat offspring sired by males treated with alcohol. *Alcohol*, *10*(3), 237-242.
- Abel, E. L. (1998). Protecting fetuses from certain harm. *Politics and the Life Sciences*, *17*(2), 113-117.
- ACT for Youth Upstate Center of Excellence. (2002). *Research facts and findings: Adolescent brain development* (May ed.). Ithaca, NY: Cornell University.
- Adlaf, E. M., Paglia, A., Ivis, F. J. & Lalomiteanu, A. (2000). Non-medical drug use among adolescent students: highlights from the 1999 Ontario student drug use survey. *Canadian Medical Association Journal*, *162*(12), 1677-1680.
- Alberta Alcohol and Drug Abuse Commission (AADAC). (2004). *Windows of Opportunity: A Statistical Profile of Substance Use among Women in their Childbearing Years in Alberta*. Calgary, AB: AADAC.
- Alberta Non-Prescription Needle Use Consortium. (2000). *Harm reduction information kit for professionals working with at-risk populations*. Alberta: The Government and Public Awareness Task Group of NPNU Consortium.
- Alcohol Advisory Council of New Zealand. (2008). *Alcohol/Pregnancy*. Retrieved April 6, 2008, from <http://www.alcohol.org.nz/PregnancyContent.aspx?PostingID=1516>.
- Armstrong, E. M. (2003). *Conceiving risk, bearing responsibility: Fetal Alcohol Syndrome and the diagnosis of moral disorder*. Baltimore, MD: The John Hopkins University Press.
- Astley, S. J., Bailey, D., Talbot, C., & Clarren, S. K. (2000). Fetal alcohol spectrum disorder (FASD) primary prevention through FASD diagnosis: II. A comprehensive profile of 80 birth mothers of children with FASD. *Alcohol and Alcoholism*, *35*(5), 509-519.
- Astley, S. J., & Clarren, S. K. (2000). Diagnosing the full spectrum of fetal alcohol exposed individuals: Introducing the 4-digit diagnostic code. *Alcohol and Alcoholism*, *35*, 400-415.
- Astley, S. J., & Clarren, S. K. (2000). Diagnosing the full spectrum of fetal alcohol exposed individuals: Introducing the 4-digit diagnostic code. *Alcohol and Alcoholism*, *35*(5), 509-519.
- Aston, S., Comeau, J., & Ross, N. (2008). Mapping uncharted terrain. Women and substance use problems in rural Canada. *Highs and Lows. Canadian Perspectives on Women and Substance Use*. Toronto, ON: Centre for Addiction and Mental Health.

- Baer, J., Barr, H., Bookstein, F., Sampson, P., & Streissguth, A. (1998). Prenatal alcohol exposure and family history of alcoholism in the etiology of adolescent alcohol problems. *Journal of Studies on Alcohol*, 59, 533-544.
- Beirness, D. J., Jesseman, R., Notarandrea, R., & Perron, M. (2008). *Harm reduction: What's in a name?* Ottawa, ON: Canadian Centre on Substance Abuse. Retrieved February 16, 2009, from <http://www.ccsa.ca/2008%20CCSA%20Documents2/ccsa0115302008e.pdf>.
- Berk, L. E., & Shanker, S. G. (2006). *Child development* (2nd ed.).
- Best Start: Ontario's Maternal, Newborn and Early Child Development Resource Centre. (2002). *Participant handbook: Supporting change, preventing and addressing alcohol use in pregnancy*. Toronto, ON: Author.
- Bielawski, D. M., & Abel, E. L. (1996). Acute treatment of paternal alcohol exposure produces malformations in offspring. *Alcohol*, 14(4), 397-401.
- Bingol, N., Schuster, C., Fuchs, M., Losub, S., Turner, G., Stone, R. K., et al. (1997). The influence of socioeconomic factors on the occurrence of fetal alcohol syndrome. *Adv Alcohol Substance Abuse*, 6(4); 105-118.
- Blum, L. A., Neilson, N. H., & Riggs, J. A. (1998). Alcoholism and alcohol abuse among women: report of the Council on Scientific Affairs. *Journal of Women's Health*, 7, 861-871.
- Bolane, J. E. (1991). *Life unto life: Fetal growth and development*. Rochester, NY: Childbirth Graphics Ltd.
- Boyd, M. & Mackey, M. (2000). Alienation from self and others: The psychosocial problem of rural alcoholic women. *Archives of Psychiatric Nursing*, 3, 134-141.
- Boyd, M. (2003). Vulnerability to alcohol and other drug disorders in rural women. *Archives of Psychiatric Nursing*, 17(1), 33-41.
- Boyd, S. C. (2004). *From witches to crack moms: Women, drug law, and policy*. Durham, NC: Carolina Academic Press.
- Burd, L., (2004). Fetal Alcohol Syndrome. *Addiction Biology*, 9(2): 115-118.
- Burd, L., Cotsonas-Hassler, T. M., Martsof, J. T., Kerbeshian, J. (2003). Recognition and management of Fetal Alcohol Spectrum Disorder. *Neurotoxicology & Teratology*, 25(6), 681-688.
- Burden, M., Jacobson, S., Sokol, R., & Jacobson, J. (2005). Effects of prenatal alcohol exposure on attention and working memory at 7.5 years of age. *Alcohol Clinical and Experimental Research*, 29, 443-452.
- Calhoun, F., & Warren, K. (2007). Fetal alcohol syndrome: Historical perspectives. *Neuroscience and Biobehavioral Reviews*, 31, 168-171.

- Canadian Centre on Substance Abuse. (2004). *A national survey of Canadians' alcohol and other drugs: Prevalence of use and related harms*. Retrieved May 16, 2005 from www.ccsa.ca.
- Canadian Executive Council on Addictions. (2008). *Canadian Addiction Survey (CAS) A national survey of Canadians' use of alcohol and other drugs. Focus on Gender*. Ottawa, ON: Health Canada.
- Canadian Institute for Child Health. (2000). *Pro-Action, postponement and preparation/support*. Ottawa, ON: CAPC/CPNP.
- Canadian Paediatric Society. (2006). Position Statement (AH 2006-02). Adolescent Pregnancy. *Paediatrics and Child Health, 11(4)*, 243-246.
- Carmichael Olson, H., Feldman, J., Streissguth, A., Sampson, A., & Bookstein, F. (1998). Neuropsychological deficits in adolescents with fetal alcohol syndrome. Clinical findings. *Alcoholism: Clinical Experimental Research, 22*, 1998-2012.
- Carmichael Olson, H., Morse, B., & Huffine, C. (1998b). Development and psychopathology: Fetal alcohol syndrome and related conditions. *Clinical Neuropsychiatry, 3*, 262-284.
- Chudley, A. E., Conry, J., Cook, J. L., Look, C., Rosales, T., & LeBlanc, N. (2005). Fetal alcohol spectrum disorder: Canadian guidelines for diagnosis. *Canadian Medical Association Journal, 172(Suppl. 5)*, S1-S21.
- Cicero, T. J. (1994). Effects of paternal exposure to alcohol on offspring development. *Alcohol Health and Research World, 18(1)*, 37-41.
- Cicero, T. J., Nock, B., O'Connor, L. H., Sewing, B. N., Adams, M. L., & Meyer, E. R. (1994). Acute paternal alcohol exposure impairs fertility and fetal outcome. *Life Sciences, 55(2)*, PL33-36.
- Clarren, S. K., & Smith, D. (1978). The fetal alcohol syndrome. *New England Journal of Medicine, 298*, 1063-1067.
- Connor, P., Sampson, P., Streissguth, A., Bookstein, F., & Barr, H. (2005). Effects of prenatal alcohol exposure on fine motor coordination and balance. A study of two adult samples. *Neuropsychologia, 44*, 744-751.
- Dell, C., & Beauchamp, T. (2006). *Self-harm among criminalized women*. Canadian Centre on Substance Abuse. Ottawa, ON: Canadian Centre on Substance Abuse.
- Dell, C. & Roberts, G. (2005). *Research update. Alcohol use and pregnancy: An important Canadian public health and social issue*. Ottawa, ON: Health Canada.
- Donovan, K. (2006). Towards an addiction free province? A closer look at the potential in Saskatchewan's Addley Report and "Project Hope". *Circle Talk, April 2006*.
- El-Basel, N., Gilbert, I., Witt, S., et al. (2003). Intimate partner violence and substance abuse among minority women receiving care from an inner city emergency department. *Women's Health Issues, 13*, 16-22.

- Encyclopedia Britannica and Fine, C. (2008). *The Britannica Guide to the Brain: A guided tour of the brain – mind, memory, and intelligence*. Philadelphia. Running Press Book Publishers.
- Eysenck, M. & Keane, M. (2005). *Cognitive Psychology: A Student's Handbook* (5th ed.). New York, NY: Taylor and Francis.
- Famy, C., Sreissguth, A., & Unis, A. (1998). Mental illness in adults with fetal alcohol syndrome or fetal alcohol effects. *American Journal of Psychiatry*, 155, 552-554.
- FAS/E Support Network of BC. (2002). *A manual for community caring identification, understanding & intervention fetal alcohol spectrum disorder (FASD) trainer's guide*. Surrey, BC: Author.
- FASD Support Network of Saskatchewan Inc. (2007). *Fetal alcohol spectrum disorder: A guide to awareness and understanding*. Saskatoon, SK: FASD Support Network of Saskatchewan Inc.
- Fingeld, D. (2002). Alcohol treatment for women in rural areas. *Journal of the American Psychiatric Nurses Association*, 8, 37-43.
- First Nations, Inuit, and Aboriginal Health. (2007). Fetal alcohol syndrome/Fetal alcohol effects. Retrieved May 29, 2009, from <http://www.hc-sc.gc.ca/fniah-spnia/famil/preg-gros/intro-eng.php>.
- Fowler, D. (2007). The extent of substance use problems among women partner abuse survivors residing in a domestic violence shelter. *Family and Community Health, Supplement 1*, S106-S108.
- Fryer, S. L., Schweinsburg, B. C., Bjorkquist, O. A., Frank, L. R., Mattson, S. N., Spadoni, A. D. & Riley, E. P. (2009). Characterization of white matter microstructure in fetal alcohol spectrum disorders. *Alcoholism: Clinical and Experimental Research*, 33 (3), 1-8.
- Gearing, R. B., McNeill, T., & Fernand, A. L. (2005). Father involvement and fetal alcohol spectrum disorder: Developing best practices. *Journal of FAS International*, 3(e14), 1-11.
- Giedd, J., Blumenthal, J., Jefferies, N., Castellanos, F., Liu, H., Zijdenbos, A., et al. (1999). Brain development during childhood and adolescence: A longitudinal MRI study. *Nature Neuroscience*, 2(10), 861-863.
- Gijzen, V., Fulga, N., Garcia-Bournissen, F., & Koren, G. (2008). Does light drinking during pregnancy improve pregnancy outcome? A critical commentary. *Canadian Journal of Clinical Pharmacology*, 15, 782-786.
- Gomez, L. E. (1997). *Misconceiving mothers: Legislators, prosecutors, and the politics of prenatal drug exposure*. Philadelphia, PA: Temple University Press.
- Greaves, L., & Poole, N. (2005). Victimized or validated? Responses to substance-using pregnant women. *Canadian Women's Studies Journal*, 24(1), 87-92.

- Hoyme, H. E., May, P. A., Kalberg, W. O., Kodituwakku, P., Gossage, J. P., Trujillo, P. M., et al. (2005). A practical clinical approach to diagnosis of fetal alcohol spectrum disorders: Clarification of the 1996 Institute of Medicine criteria. *Pediatrics*, *1*, 39-47.
- Jones, K. L., & Smith, D. W. (1973). Recognition of the fetal alcohol syndrome in early infancy. *Lancet*, *2*, 999-1001.
- Kelly, Y., Sacker, A., Gray, R., Kelly, J., Wolke, D. & Quigley, M. A. (2008). Light drinking during pregnancy, a risk for behavioural problems and cognitive deficits at 3 years of age? *International Journal of Epidemiology*, *38*, 129-140.
- Kilpatrick, D., Acierno, R., Resnick, H., Saunders, B. & Best, C. (1997). A two-year longitudinal analysis of the relationships between violent assault and substance abuse in women. *Journal of Consulting and Clinical Psychology*, *65* (5), 842-847.
- Kirmayer, L., Brass, G., & Tait, C. (2000). The mental health of aboriginal peoples: Transformations of Identity and Community. *Canadian Journal of Psychiatry*, *45* (7), 607-616.
- Kodituwakku, P., Kalberg, M., & May, P. (2001). The effects of prenatal exposure on executive functioning. *Alcohol Research and Health*, *25*, 192-198.
- Koehn, C. & Hardy, C. (2008). Depression and Problem Substance Use in Women. *Highs and Lows. Canadian Perspectives on Women and Substance Use*. Toronto, ON: Centre for Addiction and Mental Health.
- Last, J. M. (2001). *A dictionary of epidemiology* (4th ed.). Oxford: Oxford University Press (APA).
- Ledig, M., Misslin, R., Vogel, E., Holownia, A., Copin, J. C., & Tholey, G. (1998). Paternal alcohol exposure: Developmental and behavioral effects on the offspring of rats. *Neuropharmacology*, *37*(1), 57-66.
- Leech, S., Richardson, G., Goldshmidt, L., & Day, N. (1999). Prenatal substance exposure: Effects on attention and impulsivity of 6 year olds. *Neurotoxicology and Teratology*, *21*, 109-118.
- Leja, Darryl - *Characteristic Facial Features in a Child with Fetal Alcohol Spectrum Disorder*, National Human Genome Research Institute, National Institutes of Health, Bethesda, Md. (Graphic).
- Leonardson, G. R., & Loudenburg, R. (2003). Risk factors for alcohol use during pregnancy in a multistate area. *Neurotoxicology & Teratology*, *25*(6), 651-658.
- Leslie, M., & Roberts, G. (2004). *Nurturing change working effectively with high-risk women and affected children to prevent and reduce harms associated with FASD*. Retrieved February 9, 2009, from http://www.mothercraft.ca/database/projects_publications/Nurturing%20Change%20Final-GR1.pdf.
- Lockhart, P. (2001). Fetal alcohol spectrum disorders for mental health professionals. A brief review. *Current Opinion in Psychiatry*, *14*, 463-469.

- Lukassen, J., & Beaudet, M. (2005). Alcohol dependence and depression among heavy drinkers in Canada. *Social Science & Medicine*, 61(8), 1658-1667.
- Lynch, M., Coles, C., Corley, T., & Falek, A. (2003). Examining delinquency in adolescents differentially prenatally exposed to alcohol: the role of proximal and distal risk factors. *Journal of Studies on Alcohol*, 64, 678-687.
- Malbin, D. (2002). *Fetal alcohol spectrum disorders trying differently rather than harder* (Second ed.). Portland, Oregon: FASCETS Inc.
- Malbin, D. (2008). *Fetal alcohol spectrum disorders: A collection of information for parents and professionals* (Second ed.). Portland, Oregon: FASCETS.
- Martino, S., Collins, R. & Ellickson, P. (2005). Cross-legged relationships between substance use and intimate partner violence among a sample of young adult women. *Journal of Studies on Alcohol*, 66 (1), 139-149.
- Masotti, P., Szala-Meneok, K., Selby, P., Ranford, J., & Van Koughnett, A. (2003). Urban FASD interventions: Bridging the cultural gap between aboriginal women and primary care physicians. *Journal of FAS International*, e7 (1).
- Mattson, S. & Riley, E. (1998). A review of neurobehavioral deficits in children with fetal alcohol syndrome or prenatal exposure to alcohol. *Alcoholism: Clinical and Experimental Research*, 22, 279-292.
- Mattson, S. & Roebuck, T. (2002). Acquisition of verbal and nonverbal information in children with heavy prenatal alcohol exposure. *Alcoholism: Clinical and Experimental Research*, 26(6), 875-882.
- McCourt, C., Paquette, D., Pelletier, L., & Reyes, R. (2005). *Report on maternal and child health in Canada: Making every mother and child count*. Ottawa, ON: Public Health Agency of Canada.
- McGee, C., Fryer, S., Bjorkqvist, O., Mattson, S., & Riley, E. (2008). Deficits in social problem solving in adolescents with prenatal exposure to alcohol. *The American Journal of Drug and Alcohol Abuse*, 34, 423-431.
- Miller, W. R., & Rollnick, S. (2002). *Motivational interviewing: Preparing people for change* (2nd ed.). New York, NY: Guilford Press.
- Miller, W. R., Zweben, A., DiClemente, C. C., & Rychtarik, R. G. (1994). In Project MATCH Series (Ed.), *Motivational enhancement therapy manual: A clinical research guide for therapists treating individuals with alcohol abuse and dependence* (Volume 2 ed.). Rockville, MD: National Institute on Alcohol Abuse and Alcoholism.
- Mothering Under Duress Research Team. (2008). How do the media represent mothers with substance use problems? *Highs and Lows. Canadian Perspective on Women and Substance Use*. Toronto, ON: Centre for Addiction and Mental Health.

- Muhajarine, N., D'Arcy, C., & Edouard, L. (1997). Prevalence and predictors of health risk behaviours during early pregnancy: Saskatoon pregnancy and health study. *Canadian Journal of Public Health*, 88, 375-379.
- National Alcohol Strategy Working Group. (2007). *Reducing alcohol related harm in Canada: Toward a culture of moderation. Recommendations for a national strategy*. Retrieved February 14, 2008 from www.ccsa.ca/CCSA/EN/Partnerships/National_Framework/.
- National Organization on Fetal Alcohol Syndrome. (2007). *FASD: What Young People Should Know*. Retrieved February 14, 2008, from www.nofas.org.
- Newman, J. & Sallman, J. (2004). Women, trauma histories, and co-occurring disorders: assessing the scope of the problem. *Social Services Review*, 78 (3), 466-499.
- Novick-Brown, N. (2008). Sexually inappropriate behavior in patients with fetal alcohol spectrum disorder. In *ADHD and fetal alcohol spectrum disorders (FASD)*. New York, NY: Nova Science Publishers.
- O'Malley, K. (2008) *Fetal alcohol spectrum disorders: An overview. ADHD and fetal alcohol spectrum disorders (FASD)*. New York, NY: Nova Science Publishers.
- Ontario Public Health Initiative. (2007). *Youth and Alcohol Messages and Media Initiatives*. Retrieved February 14, 2008 from www.opha.ca.ca/projects/yamm.html.
- Opie, S. (2008). *Looking at the guiding principles of relationship based strength approach through an FASD lens*. Retrieved May 13, 2009, from <http://www.myriadconsult.com/work8.php>.
- Ordolis, E. (2007). A story of their own: Adolescent pregnancy and child welfare in aboriginal communities. *First Nations Child and Family Review*, 3 (4), 30-41.
- Pagilia-Boak, A. & Adlaf, E. (2007). Substance use and harm in the general youth population. *Substance Abuse in Canada: Youth in Focus*. Canadian Centre for Substance Abuse: Ottawa, ON: Canadian Centre for Substance Abuse.
- Parker, S. (2007) *The Human Body Book*. New York. Dorling Kindersley Limited.
- Passaro, K. T., Little, R. E., Savitz, D. A., & Noss, J. (1998). Effect of paternal alcohol consumption before conception on infant birth weight. *Teratology*, 57(6), 294-301.
- Paus, T. (2005). Mapping brain maturation and cognitive development during adolescence. *TRENDS in Cognitive Sciences*, 9(2), 60-68.
- Poole, N. A. (2008). Fetal alcohol spectrum disorder (FASD): Canadian perspectives. Retrieved February 10, 2009, from <http://www.phac-aspc.gc.ca/fasd-etcaf/pdf/cp-pc-eng.pdf>.
- Poole, N., & Dell, C. (2005). *Girls, women and substance use*. Vancouver, BC: Canadian Center on Substance Abuse.

Poole, N., & Isaac, B. (2001). *Apprehensions: Barriers to treatment for substance-using mothers*. Vancouver, BC: British Columbia Centre of Excellence for Women's Health.

Poole, N., & Urquhart, C. (2006). Pregnant women and alcohol: We need to move from stigma to support. *Visions Journal*, 2(9), 16-17.

Prochaska, J. O. (1984). *Systems of psychotherapy. A transtheoretical analysis* (2nd ed.). Homewood, IL: Dorsey Press.

Public Health Agency of Canada. (2003). *What makes Canadians healthy or unhealthy?* Retrieved November 6, 2008, from <http://www.phac-aspc.gc.ca/ph-sp/determinants/determinants-eng.php#personalhealth>.

Public Health Agency of Canada. (2004). *Fetal alcohol spectrum disorder: Knowledge and attitudes of health professionals about fetal alcohol syndrome: Results of a national survey*. Ottawa, ON: Author.

Rasmussen, C., Horne, K., & Witol, A. (2006). Neurobehavioral functioning in children with fetal alcohol spectrum disorder. *Child Neuropsychology*, 12, 453-468.

Russell, M. (1994). New assessment tools for risk during pregnancy: T-ACE, TWEAK, and others. *Alcohol Health & Research World*, 18, 55-61.

Russell, M., Martier, S. S., Sokol, R. J., Mudar, P., Jacobson, S., & Jacobson, J. (1996). Detecting risk drinking during pregnancy: A comparison of four screening questionnaires. *American Journal of Public Health*, 86, 1435-1439.

Sampson, P. D., Streissguth, A. P., Bookstein, F. L., Little, R. E., Clarren, S. K., Dehaene, P., et al. (1997). Incidence of fetal alcohol syndrome and prevalence of alcohol-related neurodevelopmental disorder. *Teratology*, 56, 317-326.

Saskatchewan Alcohol and Drug Services. (2006). *The motivational assessment process: Second edition*. Saskatchewan: Author.

Saskatchewan Executive Council. (2007). *Binge drinking can have unintended consequences*. Retrieved February 14, 2008 from www.gov.sk.ca/.

Saskatchewan Learning. (2004). *Planning for Students with Fetal Alcohol Spectrum Disorder. A Guide for Educators*. Regina, SK: Saskatchewan Learning.

Saskatchewan Prevention Institute. (2007). *Enhancing patient care clinical approaches to addressing alcohol use during pregnancy*. Saskatoon, SK: Author.

Scholl, R. W. *The transtheoretical model of behavioral change*. Kingston, RI: University of Rhode Island. Retrieved January 8, 2009, from www.eba.uri.edu/Scholl/Notes/Change_TTM.htm.

Schonfeld, A., Matheson, S., Lang, A., Delis, A., & Riley, E. (2001). Verbal and nonverbal fluency in children with heavy prenatal exposure. *Journal of Studies on Alcohol*, 62, 239-246.

- Schonfeld, A., Mattson, S., & Riley, E. (2005). Moral maturity and moral delinquency after prenatal alcohol exposure. *Journal of Studies of Alcohol*, 66, 545-645.
- Shields, L., & Twycross, A. (2003). Research update: The difference between incidence and prevalence. *Paediatric Nursing*, 15, 50.
- Society for Neuroscience. (2008). *Brain Facts: A Primer on the Brain and Nervous System*. Washington, DC.
- Sokol, R. J. et al. (1989). The T-ACE questions: Practical prenatal detection of risk drinking. *American Journal of Obstetrics and Gynecology*, 160, 863-870.
- Sood, B., Delaney-Black, V., Covington, C., Nordstrom-Klee, B., Ager, J., Templin, T., et al. (2001). Prenatal alcohol exposure and childhood behaviour at age 6 to 7 years: I. Dose-response effect. *Pediatrics*, 108 (2): E34.
- Spadoni, A. D., McGee, C. L., Fryer, S. L. & Riley, E. P. (2006). Neuroimaging and fetal alcohol spectrum disorders. *Neuroscience and Biobehavioral Review*, 31, 239-245.
- Stade, B., Ali, A., Bennett, D., Campbell, D., Johnston, M., Lens, C., Tran, S. & Koren, G. (2009). The burden of prenatal exposure to alcohol: Revised measurement of cost. *Canadian Journal of Clinical Pharmacology*, 16(1), e91-e102.
- Statistics Canada. (2003). *The Canadian community health survey (CCHS)*. Retrieved February 14, 2008 from www.statcan.ca/english/freepub/82-617XLE/index.htm.
- Stewart, S., Conrod, P., Marlatt, G., Comeau, M., Thush, C., & Krank, M. (2005). New developments in prevention and early intervention for alcohol abuse in youths. *Alcoholism: Clinical and Experimental Research*, 29(2), 278-286.
- Stratton, K., Howe, C., Battaglia, F. C. (1996). *Fetal alcohol syndrome: Diagnosis, epidemiology, prevention, and treatment*. Washington, DC: Institute of Medicine and National Academy Press.
- Streissguth, A. (1997). *Fetal alcohol Syndrome: A guide for families and communities*. Baltimore, MD: Paul H. Brooks Publishing.
- Streissguth, A. P., Barr, H. M., Kogan, J., & Bookstein, F. L. (1996). *Understanding the occurrence of secondary disabilities in clients with fetal alcohol syndrome and fetal alcohol effects. Final report to the Centres of Disease Control and Prevention*. Washington: Department of Health and Human Services.
- Sullivan, W. C. (1899). A note on the influence of maternal inebriety on the offspring. *Journal of Mental Science*, 45, 489-503.
- Tait, C. (2004). *Fetal alcohol syndrome and fetal alcohol effects: The 'making' of a Canadian aboriginal health and social problem*. Unpublished dissertation. McGill University, Montreal, PQ.
- Tanaka, H., Suzuki, N., & Arima, M. (1982). Experimental studies on the influence of male alcoholism on fetal development. *Brain & Development*, 4(1), 1-6.

The Government and Public Awareness Task Group of NPNU Consortium. (2000). *Harm reduction information kit for professionals working with at-risk populations*. Alberta: Alberta Non-Prescription Needle Use Consortium.

University of Virginia. (2006). *Medical genetics: Teratogens*. Retrieved February 20, 2009, from www.healthsystem.virginia.edu/uvahealth/peds_genetics/terathub.cfm.

Vaillencourt, A. & Keith, B. (2007). Substance Use among Women in "The Sticks". Northern Perspectives. *Highs and Lows. Canadian Perspectives on Women and Substance Use*. Toronto, ON: Centre for Addiction and Mental Health.

Vega, W., Aguilar-Gaxiola, S., Andrade, L., & Bijil, R. (2002). Prevalence and age of onset for drug use in seven international sites: Results from the international consortium of psychiatric epidemiology. *Drug and Alcohol Dependency*, 68, 285-297.

Venner, K. L., Feldstein, S. W., & Tafoya, N. (2006). *Native American motivational interviewing: Weaving Native American and western practices: A manual for counsellors in Native American communities*.

Wechsler, H., Lee, J. E., Kuo, M., Seibring, M., Nelson, T. F., & Lee, H. (2002). Trends in alcohol use, related problems and experience of prevention efforts among U.S. college students 1993-2001: Results from the 2001 Harvard School of Public Health College Alcohol Study. *Journal of American College Health*, 50, 203-217.

Wemigwans, J. (Revised 2008). *FASD tool kit for Aboriginal communities*. Toronto, ON: Ontario Federation of Indian Friendship Centres.

Wilkinson, R., & Marmot, M. (2003). *Social determinants of health: The solid facts* (Second ed.) World Health Organization. Retrieved January 17, 2009, from www.who.dk/documents/e81384.pdf.