

References and Appendices

- Action on Women's Addictions – Research & Education; Breaking the Cycle. (2004). *The SMART guide: Motivational approaches within the stages of change for pregnant women who use alcohol: A training manual for service providers*. Kingston, ON, & Toronto, ON: Author.
- Alberta Alcohol and Drug Abuse Commission. (2003). *The help guide for professionals: Working with women who use substances*. Edmonton, AB: Author.
- Allard-Hendren, R. (2000). Alcohol use and adolescent pregnancy. *American Journal of Maternal Child Nursing*, 25(3), 159-162.
- Best Start: Ontario's Maternal, Newborn and Early Child Development Resource Centre. (2002). *Participant handbook: Supporting change, preventing and addressing alcohol use in pregnancy*. Toronto, ON: Author.
- Chang, G. (2001). Alcohol-screening instruments for pregnant women. *Alcohol Research & Health*, 25(3), 204-209.
- Chang, G., Wilkins-Haug, L., Berman, S., Goetz, M.A., Behr, H., & Hiley, A. (1998). Alcohol use and pregnancy: Improving identification. *Obstetrics & Gynecology*, 91(6), 892-898.
- Chudley, A.E., Conry, J., Cook, J.L., Loock, C., Rosales, T., & LeBlanc, N. (2005). Fetal alcohol spectrum disorder: Canadian guidelines for diagnosis. *Canadian Medical Association Journal*, 172(5), 1-21.
- College of Family Physicians of Canada. (1994). *Alcohol risk assessment and intervention (ARAI): Resource manual for family physicians*. Mississauga, ON: Author.
- Curry, M.A. (1998). The interrelationships between abuse, substance use, and psychosocial stress during pregnancy. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 27, 692-699.
- Dzakpasu, S., Mery, L.S., & Trouton, K. (1998). *Canadian Perinatal surveillance system: Alcohol and pregnancy*. Ottawa, ON: Health Canada.
- Legge, C., Roberts, R., & Butler, M. (2000). *Situational analysis: Fetal alcohol syndrome/fetal alcohol effects and the effects of other substance use during pregnancy*. Ottawa, ON: Health Canada.
- Little, R.E., & Sing, C.F. (2005). Father's drinking and infant birth weight: Report of an association. *Teratology*, 36(1), 59-65.
- Loock, C., Conry, J., Cook, J.L., Chudley, A.E., & Rosales, T. (2005). Identifying fetal alcohol spectrum disorder in primary care. *Canadian Medical Association Journal*, 172(5), 628-630.
- Neal, R. (2004). *Voices: Women, poverty and homelessness in Canada*. Ottawa, ON: The National Anti-Poverty Organization.

- Passaro, K.T., Little, R.E., Savitz, D.A., & Noss, J. (1998). Effect of paternal alcohol consumption before conception on infant birth weight. *Teratology*, 57(6), 294-301.
- Poole, N., & Isaac, B. (2001). *Apprehensions: Barriers to treatment for substance-using mothers*. Vancouver, BC: British Columbia Centre of Excellence for Women's Health.
- Public Health Agency of Canada. (2004). *Fetal Alcohol Spectrum Disorder: Knowledge and attitudes of health professionals about fetal alcohol syndrome: Results of a national survey*. Ottawa, ON: Author.
- Public Health Agency of Canada (2006). *Fetal alcohol spectrum disorder*. [Brochure]. Ottawa, ON: Author.
- Russell, M. (1994). New assessment tools for risk drinking during pregnancy: T-ACE, TWEAK, and others. *Alcohol Health & Research World*, 18(1), 55-61.
- Russell, M., Martier, S.S., Sokol, R.J., Mudar, P., Jacobson, S., & Jacobson, J. (1996). Detecting risk drinking during pregnancy: A comparison of four screening questionnaires. *American Journal of Public Health*, 86(10), 1435-1439.
- Saskatchewan Prevention Institute. (2005). *Fetal alcohol spectrum disorder: A resource for professionals*. Saskatoon, SK: Author.
- Saskatchewan Provincial Alcohol and Drug Services Working Group. (2002). *Fetal alcohol syndrome: A role for professionals in providing early intervention and other support for women*. Retrieved June 27, 2006 from http://www.saskatoonhealthregion.ca/your_health/calder_documents/FASRoleforProfessionals.pdf.
- Sood, B., Delaney-Black, V., Covington, Cl., Nordstrom-Klee, B., Ager, J., Templin, T., Janisse, J., Martier, S., & Sokol, R.J. (2001). Prenatal alcohol exposure and childhood behavior at age 6 to 7 years: I. dose-response effect. *Pediatrics*, 108(2), E34.
- Statistics Canada (1993). *The violence against women survey*. (The Daily, Catalogue no. 11-001XIE). Ottawa, ON: Author.
- Statistics Canada. (2006). *Measuring violence against women: Statistical trends 2006* (Catalogue no. 85-570-XIE). Ottawa, ON: Author.
- Tait, C. (2000). *A study of the service needs of pregnant addicted women in Manitoba*. Manitoba: Manitoba Health.
- Yahne, C., & Miller, W. (1999). Enhancing motivation for treatment and change. In B.S. McGrady & E.E. Epstein (Eds.), *Addictions: A comprehensive guidebook* (pp. 235-249). New York, NY: Oxford University Press.