

Substance Use, Pregnancy, and HIV/AIDS: An Environmental Scan of Substance Use Treatment Programs for Pregnant Women

Prepared for the Saskatchewan Prevention Institute

June 2012

Substance Use, Pregnancy, and HIV/AIDS: An Environmental Scan of Substance Use Treatment Programs for Pregnant Women

Report prepared for the Saskatchewan Prevention Institute

June 2012

Table of Contents

Exe	ecutive Summary	3
1.	Introduction	5
	1.1 Report Contents	7
	1.2 Purpose of the Current Report	8
2.	Methods	8
	2.1 Saskatchewan Environmental Scan	8
	2.2 North American Environmental Scan	9
	2.3 Limitations	9
3.	Summary of Findings	10
	3.1 Saskatchewan	
	3.2 North America	11
4.	Discussion	12
	4.1 Recommendations for Substance Use Treatment Programs	
	4.2 Future Research Directions	
Re	ferences	16
Ар	pendix A: Interview Schedule for Saskatchewan Substance Use Treatment Programs	19
-	pendix B: Index of Saskatchewan Substance Use Treatment Programs	
-	pendix C: Program Information for Saskatchewan Substance Use Treatment Programs	
-	hat Provide Services for Pregnant Women	29
	pendix D: Out-of-Province Canadian Substance Use Treatment Programs That Provide	
-	ervices for Pregnant Women	62
	pendix E: American Substance Use Treatment Programs for Pregnant Women	
-	pendix F: North American Substance Use Treatment Programs That	
•	rovide Specialized Services for Pregnant Women Living with HIV/AIDS	85
	oriac openiance of rideo for riegilant tronien citing triticity/1000	

Executive Summary

The current environmental scan, conducted by the Saskatchewan Prevention Institute, aimed to identify existing substance use treatment programs and services available to pregnant women and pregnant women living with HIV/AIDS in North America, with a particular focus on Saskatchewan. Substance use treatment has been identified as an effective way to stop or reduce substance use and related risk behaviours during pregnancy, resulting in improved maternal and fetal health outcomes. Substance use treatment has also been associated with a reduction in HIV infection and transmission risk, including mother-to-child transmission in women already infected with HIV/AIDS. Therefore, in order to ensure the best possible pregnancy outcomes for women with substance use issues, including those living with HIV/AIDS, knowledge about and access to appropriate substance use treatment programs is needed.

For the Saskatchewan part of the environmental scan, each of the substance use treatment programs listed in the provincial directory was contacted via telephone. Program-specific information was obtained from an intake worker, counsellor, or program manager. Programs that admit pregnant women into treatment, including those that admit women on methadone and those that admit pregnant women living with HIV/AIDS, were included in the current report. Except for the programs designed specifically for men, all of the treatment programs contacted stated that they are willing to accept pregnant women into treatment. Almost half of these programs stated that pregnant women receive priority access to substance use treatment. However, only two programs in Saskatchewan currently have the facilities to allow babies to room-in with their mothers. Aside from these two programs, none of the Saskatchewan substance use treatment programs have specialized services for pregnant women. Instead, pregnant women are admitted into the conventional treatment offered. Similarly, there were no specialized substance use treatment programs for pregnant women living with HIV/AIDS identified, but all of the organizations contacted indicated that women living with HIV/AIDS are accepted into treatment programming. Seventy-three percent of treatment programs indicated that they are willing to admit individuals on methadone. Those that do not admit clients who use methadone reported having the expectation of complete abstinence from substances.

The North American part of the environmental scan consisted of an online search of substance use treatment programs that stated that they accept pregnant women, including those living with HIV/AIDS. Fifty-six Canadian programs for pregnant women were found, while only nine such American programs were found. Three substance use treatment programs specifically stated that they provide services to pregnant women living with HIV/AIDS. It is important to note, however, that it is possible that a larger number of programs that offer services to pregnant women and to pregnant women living with HIV/AIDS may exist than are reflected in the current report. This underscores the need for programs to explicitly state whether they provide services to pregnant women and whether they provide services to pregnant women living with HIV/AIDS. This is particularly true because the online search revealed that at least some pregnant women are using the Internet to find information about substance use treatment programs (e.g., posting inquiries on online forums).

Detailed information about the identified substance use treatment programs can be found in the Appendix section of the current report. In addition, the current report provides a brief summary of existing recommendations for appropriate substance use treatment programs. These recommendations include: access to opioid substitution therapy (e.g., methadone), creating a woman-friendly environment, childcare for women who have other children to care for, outpatient treatment for women who do not want to undergo treatment in the presence of their children, and multidisciplinary care (e.g., mental health, personal and social welfare, gynaecological/obstetric care, substance use specialists, and infectious disease specialists). The importance of knowledge about and access to appropriate substance use treatment programs for pregnant women and for pregnant women living with HIV/AIDS cannot be discounted. Such access can serve to improve maternal and fetal health, improve pregnancy outcomes, and reduce rates of HIV infection and mother-to-child transmission of HIV.

The information provided through the current environmental scan is useful both for pregnant women who use substances who are seeking services and for health care professionals, who can use this information to assist women in accessing services that are appropriate to their needs. Ideally this would be done as part of a multidisciplinary team, where the referring professional continues to be involved in the care of the woman. It is hoped that the information provided will increase awareness of the existing substance use treatment centres and programs for pregnant women, with the goal of potentially increasing referrals to and use of these programs.

1. Introduction

Substance use can occur along a spectrum ranging from beneficial use to non-problematic use to problematic and/or dependent use (BC Ministry of Health Services & BC Ministry of Children and Family Development, 2010). For most people, substance use does not lead to dependence. However, even in the case of non-dependent substance use, harm can result. The likelihood of experiencing harms is increased for people with dependent substance use, also referred to as addiction(s).

The Canadian Society of Addiction Medicine (CSAM, 2011)¹ defines addiction as a primary, chronic disease of brain reward, motivation, memory and related circuitry. Dysfunction in these is reflected in an individual pathologically pursuing reward and/or relief by substance use and other behaviours. The CSAM goes on to state that addiction is characterized by an inability to consistently abstain, impairment in behavioural control, craving, diminished recognition of significant problems with one's behaviours and interpersonal relationships, and a dysfunctional emotional response. Like other chronic diseases, addiction often involves cycles of relapse and remission. Without treatment or engagement in recovery activities, addiction is progressive and can result in disability or premature death.

This definition and description highlights the fact that addiction is a brain disease, in that dependent substance use changes the neurochemical and molecular structure of the brain. This changes how the brain works (NIDA, 2007). Because psychoactive substances produce their effects by acting on the "survival" receptors in the brain (i.e., those linked to food and sex), ongoing substance use can trick the brain into believing that substance use is an essential survival activity (Kendall, 2011). The intoxicating effects of substance use can impair judgements, lower inhibitions, and affect the ability to weigh risks and benefits when making decisions about potentially risky behaviours (Canadian AIDS Society, 2005; Kendall, 2011; UNAIDS/WHO, 2007). This means that even a single episode of substance use can result in high risk behaviour(s) taking place. As such, substance use is associated with a vast array of negative health, social, and economic consequences (Saskatchewan Ministry of Health, 2009a). Negative consequences related to substance use can include interpersonal conflicts, violence, unplanned and unwanted sexual encounters, sexually transmitted infections (STIs), and human immunodeficiency virus (HIV) infection.

The negative consequences that are experienced increase when a pregnant woman uses substances, as both the woman and her fetus are affected (Alberta Alcohol and Drug Abuse Commission, 2006; Ramsey, Engler, & Stein, 2007). Obtaining accurate data about the prevalence of substance use during pregnancy is difficult due to the stigma, shame, and illegality of this activity (Alberta Alcohol and Drug Abuse Commission, 2006; PHAC, 2009; Winklbaur et al., 2008). Saskatchewan statistics show that 5% of the women who accessed alcohol and drug services between 2008 and 2009 were

-

¹ In 2011, the CSAM passed a motion to temporarily adopt the 2011 American Society of Addiction Medicine's definition of addiction. The definition presented here is this adopted definition.

pregnant (Saskatchewan Ministry of Health, 2009b). Many women who use substances are not accessing treatment, indicating that the number of pregnant women using substances is much higher.

Research has shown that substance use during pregnancy is associated with numerous negative maternal health and pregnancy outcomes. In terms of maternal health, substance use has been associated with poor nutrition, poor sleep habits, lack of medical and prenatal care, stress, depression, physical abuse, sexual violence, STIs, and lack of support (Keegan et al., 2010; Mehta, Moore, & Graham, 1997; Terplan et al., 2010; Winklbaur et al., 2008). In terms of pregnancy outcomes, maternal substance use is associated with increased risk of preterm labour and delivery, intrauterine growth restriction, low birth weight, increased exposure to HIV and hepatitis C (Fischer, 2000; New York State Department of Health AIDS Institute, 2007; PHAC, 2009; Thorne, Semenenko, & Malyuta, 2011), and placental abruption (New York State Department of Health AIDS Institute, 2007). In pregnant women living with HIV/AIDS, the negative outcomes related to substance use are also related to an increased likelihood of mother-to-child transmission (MTCT) of HIV (Bulterys et al., 1997; Landesman et al., 1996; Mehta et al., 1997).²

Fortunately, research has shown that many women who use substances during pregnancy report a heightened desire to make healthier choices at this time (Terplan et al., 2010). These healthier choices can positively impact maternal and fetal health, thereby increasing the likelihood of positive pregnancy outcomes and decreasing the likelihood of HIV infection and MTCT of HIV. Substance use treatment has been identified as an effective way to stop or reduce substance use and related risk behaviours, resulting in a decreased risk of maternal HIV infection and MTCT (UNAIDS/WHO, 2007; NIDA, 2006). Specifically, research has shown that substance use treatment is associated with improved participation in and adherence to HIV treatment (Hicks et al., 2007; Strathdee et al., 1998; Wood et al., 2008). Research has also shown that methadone is associated with a stabilization of lifestyle and substance use and increased contact with applicable services (Hepburn, 2004), as well as better compliance with prenatal care in pregnant women (Keegan et al., 2010). Because substance use treatment often leads to a reduction in HIV risk behaviours, researchers have stated that substance use treatment should be considered primary HIV prevention (Chaudhury et al., 2011; National Institute on Alcohol Abuse and Alcoholism, 2002). These findings indicate that substance use treatment should also be considered an HIV transmission prevention strategy.

In addition to the benefits discussed above, substance use treatment programs also serve an important role in providing current information on HIV/AIDS and related diseases, counselling and testing services, and referrals for medical and social services (NIDA, 2006). Therefore, substance use

Substance Use on Mother-to-Child Transmission of HIV."

_

² For more detailed information about HIV/AIDS and mother-to-child transmission, please refer to a previously completed literature review by the Saskatchewan Prevention Institute titled "Mother to Child Transmission of HIV: Prevention, Treatment, and Education." For more information about the impact of substance use on HIV/AIDS infection, pregnancy, and mother-to-child transmission, please refer to another review titled "The Impact of

treatment offers an opportunity for women who use substances to have regular contact with health services, including standard prenatal care (Gyarmathy et al., 2009). Good prenatal care, substance use treatment, and other forms of support can allow women who use substances to give birth to healthy babies (Pinkham & Malinowska-Sempruch, 2008).

Women's access to substance use treatment is often hampered by a variety of barriers, including child care and elder care obligations. Pregnancy may pose additional barriers because some substance use treatment facilities may not provide suitable support for women who are pregnant (New York State Department of Health AIDS Institute, 2009). Abstinence as a requirement for treatment can be a particularly large barrier for pregnant women who use opioids. Abrupt withdrawal from opioids during pregnancy can cause injury to the fetus (Pinkham & Malinowska-Sempruch, 2008), including spontaneous abortion and/or premature labour and delivery (New York State Department of Health AIDS Institute, 2007). Due to these risks of withdrawal, along with the risks of relapse, methadone maintenance is often preferred to detoxification (New York State Department of Health AIDS Institute, 2009). The New York State Department of Health AIDS Institute, 2009) states that methadone maintenance treatment is an effective therapy for opioid dependency during pregnancy, and does not adversely affect fetal or postnatal development. Not all treatment programs will administer methadone, and some will not admit women who are using methadone.

Other barriers to effective substance use treatment for pregnant women include: stigma, fear of child welfare involvement, lack of support, lack of available appropriate treatment options, waiting lists for treatment, and abstinence being a requirement for admission to treatment (Leslie & De Marchi, 2004; Tait, 2002). These barriers must be acknowledged and ways to overcome them must be considered by programs offering services to pregnant women, as effective treatment can result in positive maternal and fetal outcomes. It is imperative that pregnant women have knowledge about and access to appropriate substance use treatment programs and services (Alberta Alcohol and Drug Abuse Commission, 2006).

1.1 Report Contents

In an effort to identify the types of substance use treatment programs and services available to pregnant women, the Saskatchewan Prevention Institute completed an environmental scan of North America, with a more in-depth focus on Saskatchewan. The current report presents the results of this scan of available substance use treatment programs for pregnant women, including those living with HIV/AIDS. This report is presented in two sections. The first section focuses on Saskatchewan substance use treatment programs that admit pregnant women into treatment, including those that admit women on methadone and women living with HIV/AIDS. The second section details the results of an online search for substance use treatment programs for pregnant women in North America, including those living with HIV/AIDS. Finally, the current report includes a summary of recommendations for substance use treatment for pregnant women.

1.2 Purpose of the Current Report

The environmental scan allows for the identification of existing substance use treatment centres for pregnant women and for pregnant women living with HIV/AIDS. This information is useful both for pregnant women who use substances who are seeking services and for health care professionals, who can use this information to assist women in accessing services that are appropriate to their needs. Ideally, this would be done as part of a multidisciplinary team where the referring professional continues to be involved in the care of the woman. As previously discussed, increased use of substance use treatment programs has been linked to decreased risk behaviours for HIV and decreased risk of MTCT in pregnant women already living with HIV/AIDS. Therefore, the aim of this scan is to increase awareness of the existing substance use treatment centres and programs for pregnant women, with the goal of potentially increasing referrals to and use of these programs.

2. Methods

The methods used differed between the Saskatchewan environmental scan and the North American environmental scan. Therefore, the methods of each of these parts of the scan are described separately below.

2.1 Saskatchewan Environmental Scan

The Government of Saskatchewan website provides a directory of alcohol and drug treatment services in the province (see http://www.health.gov.sk.ca/treatment-services-directory). The directory includes organizations that provide a number of services including inpatient, outpatient, detoxification, and residential programming. Each program or service listed in this directory was contacted via telephone, and an intake worker, counsellor or program manager was interviewed. An interview schedule was created in order to elicit the necessary information from each person contacted (see Appendix A for the full interview schedule). Specifically, the interview schedule concentrated on the following topics:

- 1. A brief description of the services and supports provided;
- 2. The types of addictions addressed by the program;
- 3. The population and age range of the clients that are served;
- 4. The intake/admission process, including whether clients are asked to disclose their HIV status;
- 5. The length of the program; and
- 6. The extent to which programming is provided for pregnant women, including those on methadone and those who may be living with HIV.

The Government of Canada offers links to National Native Alcohol and Drug Abuse Program (NNADAP) locations in Saskatchewan, and these programs were researched online (see http://www.hc-sc.gc.ca/fniah-spnia/substan/ads/nnadap-pnlaada_dir-rep-eng.php#sask). Each program listed in this directory was contacted via telephone, and an intake worker, counsellor or program manager was interviewed.

2.2 North American Environmental Scan

The internet was the sole source of information for this part of the environmental scan. Keywords (e.g., support, services, treatment, program, addiction, substance abuse, substance use, pregnancy, pregnant, women, Canada, U.S.A.) were entered into the search engine in various combinations. The snowball method was also used. Specifically, when another program or treatment centre was mentioned on an organization's website, that specific organization was also searched for on the Internet. In an effort to find as many applicable programs as possible, potentially relevant websites were also searched for information. Examples of these websites include Saskatchewan Health, First Nations and Inuit Health³, and national and provincial alcohol and drug rehabilitation websites. The search continued until saturation was reached (i.e., when entering new combinations of search terms no longer returned new results).

The information provided about these programs and their services came either via their own website or by secondary sources such as online program directories. For the purposes of this environmental scan, the information collected was limited to services targeted at pregnant women who use substances, including those living with HIV/AIDS. As a result, the information presented in this report may not represent all of the services offered by the listed programs. Treatment programs and centres were included if they admit and/or provide services of any kind to pregnant women who use substances. In other words, unless a program explicitly stated that they work with pregnant women⁴, they were not included in the current scan. Similarly, in the section on substance use services for pregnant women living with HIV/AIDS, programs were only included if they stated that they work with pregnant women. Programs that provide services to HIV positive women who are not pregnant were not included in this scan.

2.3 Limitations

There are several limitations to the current environmental scan. In terms of the Saskatchewan portion of the scan, only one source at each organization provided information during the telephone interviews. It is possible that the interview respondents may be new in their position or, for whatever reason, may not have an extensive understanding of the breadth of the services offered. For instance, some of the intake workers interviewed had not yet dealt with pregnant clients and, as a result, were not familiar with the procedures for accommodating pregnant women. Additionally, while the list of Saskatchewan-based services and programs is presumably

³ The Saskatchewan Prevention Institute would like to thank AIDS Saskatoon for suggesting this website, which was an excellent source of relevant information.

⁴ Treatment programs that accept women who are pregnant, even if they are not living with HIV/AIDS, were included in the current scan for two main reasons. First, it is possible that programs that accept pregnant women also accept pregnant women living with HIV/AIDS, even if they do not explicitly state this. Second, substance use treatment has been associated with a decreased risk of HIV infection through a reduction of high risk sexual and substance use behaviours. When a pregnant woman reduces her risk of HIV infection, she is reducing the risk of transmitting HIV to her child.

comprehensive (confirmed by an independent online search for substance use treatment centres), it is possible that some organizations or services were missed during the search.

The limitations of the North American portion of the scan are related to relying solely on online material. First, the quality and amount of information available on specific programs/centres varied greatly. Second, the obtained information may only approximate the actual services provided. For example, discontinued services may still be listed on websites, and information regarding newly implemented services may not yet be available. Treatment centres that provide services to pregnant women may not state this on their websites, and therefore may not be included in the scan. Finally, although an extensive online search was performed, it is likely that relevant services and organizations are not represented online and, therefore, are not represented in this environmental scan. Notwithstanding these limitations, the reliance on online searching was deemed a cost and time-efficient method of information collection sufficient for the current purposes, particularly because Saskatchewan programs were contacted individually.

3. Summary of Findings

As was done for the Methods section, the findings will be discussed separately for Saskatchewan and the North American scan. This is particularly important as the Saskatchewan scan included both what was gathered from the Internet, as well as data from telephone interviews.

3.1 Saskatchewan

Appendix C provides the results from the telephone interviews with 89 substance use treatment programs in Saskatchewan. (An index to these programs can be found in Appendix B, along with definitions of the different program types.) Eighty-two percent (n = 73) of the programs contacted stated that they offer outpatient services. Seventeen percent (n = 15) offer inpatient services, and 13% (n = 12) offer detoxifications services. Eleven of the programs contacted (12%) stated that they offer more than one type of treatment (e.g., offer both outpatient and inpatient services). Seventy-three percent (n = 65) of Saskatchewan substance use treatment programs stated that they are willing to admit clients on methadone (i.e., opioid substitution therapy). Five of these programs have the ability to both prescribe and maintain methadone therapy. The main reason provided by those who do not admit women on methadone was a program expectation of complete abstinence from substances.⁵

Except for the substance use treatment programs that only admit male clients, all of the programs contacted stated that they would be willing to admit pregnant women into treatment. However, seven of these programs (8%) said that they will not admit women who are in their third trimester of pregnancy. Of all the programs contacted, 46% stated that pregnant women

10

⁵ Seven of the programs contacted (8%) stated that detoxification is required before admission into treatment. Another two programs stated that while detoxification is not required, it is preferred.

receive priority treatment. One program (Saskwatamo Lodge in Melfort) stated that women are able to room-in with their children, as long as their children are under 11 years old. Another program (White Buffalo Treatment Centre in Prince Albert) stated that women are able to room-in with their babies if they give birth while undergoing substance use treatment. Older children are able to stay on weekends. Aside from these two programs that allow rooming-in, none of the Saskatchewan substance use treatment programs have specialized services for pregnant women. Instead, pregnant women are admitted into the conventional treatment offered.

Similarly, although all of the programs contacted stated that they would be willing to admit women living with HIV/AIDS, none of the programs have specialized services for women living with HIV/AIDS. Twenty-five percent (n = 25) of the programs stated that clients are asked about their HIV status during the intake process. The majority of these programs are inpatient programs, some of which include a medical assessment prior to intake. Three additional programs stated that clients are only asked to disclose their HIV status if/when they are seeking priority treatment, as these programs offer priority treatment to people living with HIV/AIDS.

3.2 North America

Appendix C presents the list of Canadian substance use treatment programs that serve pregnant women that were found through the online search. The 56 programs that were found using this method are organized by region. The highest number of programs were found in Ontario (n = 16) and British Columbia (n = 13). The fewest number of programs were found in the Atlantic region (n = 5). Only a small number of substance use programs for pregnant women were found in the United States of America (n = 9). These programs are listed in Appendix D. Finally, the few programs that were found for pregnant women living with HIV/AIDS who use substances is presented in Appendix E (n = 3).

The online search for substance use treatment programs for pregnant women revealed how difficult it can be to find information about appropriate programs. This was especially true for treatment programs that accept pregnant women living with HIV/AIDS. When the search terms were entered into the search engine, the majority of the results returned focused on literature, including academic literature, rather than information about treatment programs. As such, this information is not very accessible for a general audience. When treatment programs were found using the online search, the amount of information available about the actual services provided varied greatly. As can be seen in the Appendices, some programs provided great detail about their services, while others simply stated that they admit pregnant women. This makes a comparison of programs very difficult.

American substance use treatment centre websites appeared to be less common than Canadian websites (9 versus 56 in the current report). The online search more commonly found links to substance use help lines and referral request pages. For example, people can enter applicable information into a webpage (e.g., age group, substance used, type of treatment sought) and

receive referral information. Actual treatment program pages and contact information were less common.

The online search also revealed that at least some pregnant women who use substances are using the Internet to research treatment options. This was made clear by the number of posts by women who use substances on online forums. The posts on these forums tended to focus on fears about potential harm to the fetus and questions about treatment, including where to go for treatment. Because at least some pregnant women appear to be looking for substance use treatment programs online, it is imperative that treatment programs provide more detailed information about the services they offer on program websites. Such information could also then be accessed by healthcare professionals working with this population of women. This finding points to the potential importance of the current environmental scan. This scan can be accessed both by pregnant women looking for treatment options and for health care providers who work with pregnant women.

Another useful resource for people who use substances and health care providers is the Canada Alcohol and Drug Rehab Programs website (see http://www.canadadrugrehab.ca/). This site lists substance use treatment programs and support services, organized by province and further by program type (e.g., inpatient, outpatient, and medical programs). A brief description of the programs is provided, along with each program's contact information. Information about HIV/AIDS support services is provided under the heading "Medical Programs" for each province.

Unfortunately, this website does not list programs that admit pregnant women, ⁶ and very few program descriptions mention pregnancy.

4. Discussion

The research previously discussed highlights the necessity of appropriate substance abuse treatment programs for pregnant women, including medical programs for pregnant women living with HIV/AIDS. The results from the current environmental scan suggest these types of programs are currently lacking in Saskatchewan. It is important to note, however, that it is possible that a larger number of programs that offer services to pregnant women may exist than are reflected in the current report. This underscores the importance of programs explicitly stating whether they provide services to pregnant women and whether they provide services to pregnant women living with HIV/AIDS. The Alberta Alcohol and Drug Abuse Commission (2006) agrees, stating that at-risk women need to be made aware of what help is available, where to get help, and how to get it. The finding that at least some pregnant women are using the Internet to search for treatment options highlights the importance of this information being readily available in an online format.

12

⁶ Under the heading "Specialized Programs", this website lists "Pregnant Mothers Who Drink Alcohol (FASD) Alcohol & Drug Programs". With the exception of Mother Risk, the programs listed provide FASD information and support services.

Aside from two family treatment centres (one located on the James Smith First Nation, and one opening in 2013 in Prince Albert⁷) and one centre for youth (located on the Sturgeon Lake First Nation), there is currently very little in the way of specialized substance use treatment for pregnant women. Although the majority of programs stated that they do admit pregnant women, the inpatient programs (with the exception of the three programs just mentioned) do not have the facilities to allow women to room-in with their babies. This means that women have to choose between continuing their treatment while being separated from their babies, withdrawing from treatment in order to be with their babies, or transferring to outpatient treatment.

Specialized substance use treatment services for pregnant women living with HIV/AIDS are even rarer in Saskatchewan. Although all of the programs asked stated that they admit women living with HIV/AIDS, the programs are not medically equipped to deal with HIV/AIDS. Therefore, in order to continue to receive care for their HIV disease, women need to enroll in substance use treatment close to where they receive care for their HIV. Because many services in Saskatchewan are centralized, this may mean that women have to move away from family and friends to attend substance use treatment.

Overall, it appears that the majority of Saskatchewan-based substance use treatment centres are willing to admit women irrespective of pregnancy, HIV status, and use of methadone. That being said, not every centre that is willing to admit specialized populations has the facilities, the staff, or current sufficient need (i.e., not enough clients requiring/requesting the service) to implement programming tailored to the needs of these populations of women. This is true of most of the Saskatchewan-based programs. It is encouraging however, that many of the programs provide priority substance use treatment to pregnant women. This lessens the amount of time that pregnant women wait for substance use treatment, increasing the amount of treatment received prior to giving birth. It is clear that even the smallest programs and centres aim to use their resources to the best of their potential in order to meet the needs of all of the clients they serve.

4.1 Recommendations for Substance Use Treatment Programs

There is increasing recognition that an infant's best interests are served by optimal treatment of the pregnant woman (Ahdieh, 2001; Kennedy, 2003). In pregnant women who use substances, including those living with HIV/AIDS, optimal treatment must include substance use treatment. Unfortunately, substance use treatment programs that tailor their services to meet women's needs are rare or non-existent in most parts of the world (Pinkham & Malinowska-Sempruch, 2008; Ramsey et al., 2007). This is especially regrettable since pregnancy is often a powerful motivator to reduce problematic substance use and related harmful behaviours (Ramsey et al.,

13

⁷ A family substance use treatment centre is scheduled to open in Prince Albert in 2013. Although the specific program details are still being finalized, this centre will offer rooming-in for children aged 0-12 (up to four children), daycare and schooling on-site, and programming for children as well as their mothers. Detoxification will be required before admission, but clients on methadone will be admitted into the program

2007). Pregnancy can be an excellent opportunity for providers to offer care that can lead to long-term changes that will benefit maternal health and child development (Pinkham & Malinowska-Sempruch, 2008; Terplan, Smith, & Glavin, 2009).

Medical substance use treatment programs are necessary, and lacking, for pregnant women who are living with HIV/AIDS and using substances. This type of medical care must address the management of a pregnant woman's substance use, the pregnancy itself, and her HIV disease simultaneously. Medical substance use treatment programs are also essential for helping women who use opioids (e.g., morphine, codeine, heroin) to avoid withdrawal, overdose, and high risk behaviours that can endanger the health of a woman and her fetus (Pinkham & Malinowska-Sempruch, 2008). Methadone remains the standard opioid substitution therapy, with proven medical and social benefits due to the stabilization of substance use and lifestyle, as well as increased contact with applicable services (Hepburn, 2004; Winklbaur et al., 2008; Wood et al., 2008). Because opioid withdrawal during pregnancy can be dangerous unless done under close medical supervision, researchers suggest that stabilization of substance use is more important than abstinence (Hepburn, 2004; Keegan et al., 2010; New York State Department of Health AIDS Institute, 2009). The importance of opioid substitution therapy for maternal and fetal outcomes is important for substance use treatment programs to consider when designing services for pregnant women, including those living with HIV/AIDS.

Other important factors that should be considered include: creating a woman-friendly environment, particularly for women who have experienced sexual and physical violence (El-Bassel, Terlikbaeva, & Pinkham, 2010; Pinkham & Malinowska-Sempruch, 2008; Saskatchewan Ministry of Health, 2009c; Saskatchewan Prevention Institute, 2012); childcare for women who have other children to care for (Pinkham & Malinowska-Sempruch, 2008; New York State Department of Health AIDS Institute, 2009; Saskatchewan Ministry of Health, 2009c; Wood & Tobias, 2005); and multidisciplinary care, preferably in a community-based setting (Hepburn, 2004). Gyarmathy et al. (2009) suggest that this multidisciplinary care should include interventions in several areas: substance use, infectious diseases, mental health, personal and social welfare, and gynaecological/obstetric care.

Pinkham and Malinowska-Sempruch (2008) point out that although child-friendly treatment facilities would help some women, other women do not want to undergo treatment in the presence of their children. For these women, access to effective outpatient treatment that interferes as little as possible with their childcare and household responsibilities is vital for treatment success. Most importantly perhaps, meaningful involvement of pregnant women who use substances in service design and delivery can greatly improve the effectiveness and efficiency of substance use treatment programs, by focusing on what the women themselves actually need and respond to (Pinkham & Malinowska-Sempruch, 2008). Although peer-led, community-based programs are effective in improving access to treatment and care, including that for HIV infection, too few of such programs focus on women who use substances (El-Bassel et al., 2010).

The Alberta Alcohol and Drug Abuse Commission (2006) states that substance use treatment for women should "emphasize an approach that promotes a safe and welcoming environment, that is respectful and non-judgemental, that is tailored to at-risk women, that is culturally relevant, and that delivers a consistent message" (p. 25). These characteristics are viewed as necessary for successful outcomes.

As previously discussed, researchers have stated that substance use treatment should be considered primary HIV prevention, due to the fact that substance use treatment often leads to a reduction in HIV risk behaviours (Chaudhury et al., 2011; National Institute on Alcohol Abuse and Alcoholism, 2002; NIDA, 2006). Substance use treatment has also been shown to reduce the risk of MTCT of HIV, indicating that this type of treatment is also an effective HIV transmission prevention strategy. El-Bassel et al. (2010) state that failure to address the needs of pregnant women who use substances "will ensure that the cycle of addiction and HIV infection are passed to the next generation" (p. 313). Therefore, the importance of access to appropriate substance use treatment programs for pregnant women and for pregnant women living with HIV/AIDS cannot be discounted. Such access can serve to improve maternal and fetal health, improve pregnancy outcomes, and reduce rates of HIV infection and MTCT of HIV.

4.2 Future Research Directions

The current environmental scan focused on available substance use treatment programs for pregnant women, including those that may be living with HIV/AIDS. Although the Saskatchewan-based programs were asked whether women could continue treatment after giving birth, this was not the focus of the current scan. Because programming and ongoing support is extremely important after the baby is born, future research could examine the availability of substance use treatment and support programs for new mothers. Particularly important are programs that allow a mother to stay with her newborn. Research conducted around pregnancy and health behaviours suggests that pregnancy can be a powerful motivator to bring about positive change for the mother and her baby (Pinkham & Malinowska-Sempruch, 2008).

References

- Ahdieh, L. (2001). Pregnancy and infection with human immunodeficiency virus. *Clinical Obstetrics and Gynecology*, *44*, 154 166.
- Alberta Alcohol and Drug Abuse Commission. (2006). *Physician referrals to addiction treatment services for women at risk of using substances while pregnant: A literature review of barriers and recommendations*. Edmonton, AB: Author.
- BC Ministry of Health Services & BC Ministry of Children and Family Development. (2010). *Healthy Minds, Healthy People: A 10 Year Plan to Address Mental Health and Substance Use in British Columbia*. Victoria, BC: Author.
- Bulterys, M., Landesman, S., Burns, D., Rubinstein, A., & Goedert, J. J. (1997). Sexual behaviour and injection drug use during pregnancy and vertical transmission of HIV-1. *Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology*, 15, 76 82.
- Canadian AIDS Society. (2005). HIV Transmission: Guidelines for Assessing Risk. A Resource for Educators, Counsellors, and Health Care Providers. Fifth Edition. Author.
- Canadian Society of Addiction Medicine. (CSAM, 2011). *Definition of Addiction*. Retrieved April 29, 2012, from http://www.csam.org/non_member/definition/.
- Chaudhury, R., Jones, H. E., Wechsberg, W., O'Grady, K., Tuten, M., & Chisolm, M. (2011). Addiction severity index composite scores as predictors for sexual-risk behaviors and drug-use behaviour in drug-dependent pregnant patients. *American Journal of Drug and Alcohol Abuse*, *36*, 25 30.
- El-Bassel, N., Terlikbaeva, A., & Pinkham, S. (2010). HIV and women who use drugs: Double neglect, double risk. *The Lancet*, *376*, 312 - 314.
- Fischer, G. (2000). Treatment of opioid dependence in pregnant women. Addiction, 95, 1141 1144.
- Gyarmathy, V. A., Giraudon, I., Hedrich, D., Montanari, L., Guarita, B., & Wiessing, L. (2009). Drug use and pregnancy challenges for public health. *Eurosurveillance*, 14, 1 4.
- Hepburn, M. (2004). Substance abuse in pregnancy. *Current Obstetrics and Gynaecology*, 14, 419 425.
- Hicks, P. L., Mulvey, K. P., Chander, G., Fleishman, J. A., Josephs, J. S., Korthuis, P. T., et al. (2007). The impact of illicit drug use and substance abuse treatment on adherence to HAART. *AIDS Care*, *19*, 1134 1140.
- Keegan, J. Parva, M., Finnegan, M., Gerson, A., & Belden, M. (2010). Addiction in pregnancy. *Journal of Addictive Diseases*, *29*, 175 191.
- Kendall, P. R. W. (2011). Decreasing HIV Infections among People who use Drugs by Injection in British Columbia: Potential Explanations and Recommendations for Further Action. Office of the Provincial Health Officer.

- Kennedy, J. (2003). HIV in Pregnancy and Childbirth. Philadelphia, PA: Elsevier Science.
- Landesman, S. H., Kalish, L. A., Burns, D. N., Minkoff, H., Fox, H. E., & Zorilla, C. (1996). Obstetrical risk factors and the transmission of HIV type 1 from mother to child. *New England Journal of Medicine*, *334*, 1617 1623.
- Leslie, M. & De Marchi, G. (2004). Engaging pregnant women using substances: A review of the Breaking the Cycle Pregnancy Outreach Program. *IMPrint: Newsletter of the Infant Mental Health Promotion Project, 39*.
- Mehta, S., Moore, R. D., & Graham, N. M. H. (1997). Potential factors affecting adherence with HIV therapy. *AIDS*, 11, 1665 1670.
- National Institute on Alcohol Abuse and Alcoholism. (2002). Alcohol Alert, No. 57. Author.
- National Institute on Drug Abuse. (NIDA, 2006). *Research Report Series, Publication Number 06-5760*. Bethesda, MD: Author.
- New York State Department of Health AIDS Institute. (2007). What are these Drugs? New York, NY: Author.
- New York State Department of Health AIDS Institute. (2009). *Medical Care of HIV-Infected Substance-Using Women*. New York, NY: Author. Retrieved November 20, 2011, from http://www.hivguidelines.org/wp-content/uploads/2009/06/s-women.pdf.
- NIDA. (2007). Drugs, Brains, and Behavior: The Science of Addiction. Bethesda, MD: Author.
- Pinkham, S. & Malinowska-Sempruch, K. (2008). Women, harm reduction and HIV. *Reproductive Health Matters*, 16, 168 181.
- Public Health Agency of Canada. (PHAC, 2009). What Mothers Say: The Canadian Maternity Experiences Survey. Ottawa, ON: Author.
- Ramsey, S. E., Engler, P. A., & Stein, M. D. (2007). Addressing HIV risk behaviour among pregnant drug abusers: An overview. *Professional Psychology: Research and Practice*, *38*, 518 522.
- Saskatchewan Ministry of Health. (2009a). Focus Sheet: Consequences of Alcohol and Drug Use Experiencing Harms. Regina, SK: Author.
- Saskatchewan Ministry of Health. (2009b). Focus Sheet: Trends of Women Accessing Alcohol and Drug Services in Saskatchewan. Regina, SK: Author.
- Saskatchewan Ministry of Health. (2009c). Focus Sheet: Interventions with Women. Regina, SK: Author.
- Saskatchewan Prevention Institute. (2012). Sexual Violence and HIV. Saskatoon, SK: Author.
- Strathdee, S. A., Palepu, A., Cornelisse, P. G. A., Yip, B., O'Shaughnessy, M. V., Montaner, J. S. G., Schecter, M. T., & Hogg, R. S. (1998). Barriers to use of free antiretroviral therapy in injection drug users. *Journal of the American Medical Association*, 280, 547 549.

- Tait, C. L. (2000). A Study of the Service Needs of Pregnant Addicted Women in Manitoba. Winnipeg, MB: Manitoba Health.
- Terplan, M., Smith, M. P. H., Smith, E. J., & Glavin, S. H. (2010). Trends in injection drug use among pregnant women admitted into drug treatment: 1994 2006. *Journal of Women's Health*, 19, 499 505.
- Thorne, C., Semenenko, I., & Malyuta, R. (2011). Prevention of mother-to-child transmission of human immunodeficiency virus among pregnant women using injecting drugs in Ukraine, 2000-10. *Addiction*, 107, 118 128.
- UNAIDS/WHO. (2007). *AIDS Epidemic Update: December 2007*. Retrieved January 2, 2012, from http://data.unaids.org/pub/EPISlides/2007/2007_epiupdate_en.pdf.
- Winklbaur, B., Kopf, N., Ebner, N., Jung, E., Thau, K., & Fischer, G. (2008). Treating pregnant women dependent on opioids is not the same as treating pregnancy and opioid dependence: A knowledge synthesis for better treatment for women and neonates. *Addiction*, 103, 1429 1440.
- Wood, E., Kerr, T., Zhang, R., Guillemi, S., Palepu, A., Hogg, R. S., & Montaner, J. S. G. (2008). Poor adherence to HIV monitoring and treatment guidelines for HIV-infected injection drug users. *HIV Medicine*, *9*, 503 507.

Appendix A. Interview Schedule for Saskatchewan Substance Use Treatment Programs

Hello, my name is ______, and I am calling on behalf of the Saskatchewan Prevention Institute. We are conducting a scan of available substance use treatment services and programs in Saskatchewan, and I was wondering if I could briefly speak to someone about the services that you offer?

(IF NO: Ask if another time would be better or if there is someone else that would be able to answer the questions.)

(IF ASKED: Purpose is to develop an information resource about substance use treatment services available for specific populations. This resource will be shared with interested health care professionals.)

Name of the Program/Centre:

- 1. Please provide a brief description of services and supports provided.
- 2. Does the program provide services to women?
 - a. If yes, please describe, including all supports provided.
- 3. Does the program provide services to pregnant women?
 - a. If yes, please describe.
 - b. If no, please explain why not (e.g. not equipped to deal with medical issues).
- 4. Does the program have priority spots for pregnant women?
 - a. If yes, how many spots? Is there a wait list?
- 5. Are any programs and services provided for people who are living with HIV or at high risk of HIV infection?
 - a. If yes, please describe.
 PROMPT Do you offer any education and/or prevention services focused on HIV?
 If yes, please describe.
- 6. Does the program work with (or admit) women on methadone? (If the reaction to this question is strongly negative, consider skipping the follow-up questions.)
 - a. If yes, does the program have the capability to monitor and care for someone on methadone? Does the program prescribe or maintain?
 - b. If no, do you know the reason why not?

7.	What age range is served by the program?
8.	What types of addictions are addressed by the program? Alcohol
	IDU
	Opioids
	Inhalants
	Prescription drugs
	All substance addictions
	Other
	other
9.	What type of program/services do you offer?
	a. Detoxification
	b. Drug rehab
	c. Long term residential
	d. Short term residential
	e. Outpatient / Day programs
	onal questions that were asked in follow-up phone calls (May/June, 2012): What is the length of the program?
2	How do people access programming?
	a. Self admit
	b. Referral from
	c. Assessment from
3.	Is detoxification required prior to admission?
4.	Is the program closed (i.e., a program set for a specific time period with the same group) or
	open (i.e., people can join at any time)?
5.	During the intake process, are women required to disclose their HIV status?
6.	FOR INPATIENT CENTRES ONLY – If a woman gives birth while in treatment, is she able to complete her treatment? a. Can babies room-in with their mothers?
	b. Are older children welcome?

Appendix B – Index of Saskatchewan Substance Use Treatment Programs

Below is an index of Saskatchewan substance use treatment programs. More information about each of the programs can be found in Appendix C, on the page noted in the index, including information about the services provided and the intake process. The Saskatchewan Ministry of Health provides the following information about each of the types of substance use treatment offered in Saskatchewan (see http://www.health.gov.sk.ca/alcohol-and-drug-services).

Detoxification: For people with more severe substance use problems, treatment often begins in a detoxification facility. Staff at these facilities work to provide a safe and comfortable environment in which the client is able to undergo the process of alcohol and other substance withdrawal and stabilization. Usually detoxification lasts seven to 10 days. During this time, clients return to normal daily living routines, participate in activities held at the facility, and are linked with resources in the community including self help groups.

Outpatient services: Outpatient service agencies are the starting point for families and individuals concerned about their own or others' use of alcohol or other substances. Most people with substance use problems can be adequately helped on an outpatient basis. Qualified addictions rehabilitation counsellors provide a whole range of services, including assessments, intensive one-on-one and group counselling, education and support. While attending outpatient appointments, clients continue to carry on with their day-to-day activities, such as working, school and caring for the family.

Inpatient services: These programs offer activities similar to those of outpatient services, but on a more structured and intensive basis, with the client actually living at the facility. Programs usually last about four weeks but may run longer depending on individual needs. Long-term residential facilities provide services for a more extended period to individuals who may also require assistance in other life areas. The facilities offer counselling, education and relapse prevention in a safe and supportive environment. Life skills training, which allows clients to further develop and enhance the skills needed for treatment to be successful is also an important service offered at such facilities.

Program	Pregnant Women Receive Priority	Outpatient Services	Detox Services	Inpatient Services	Admit Clients on Methadone	Request HIV Status	Refer to Page #
Saskatchewan	First Nat	ions Treatr	nent Pro	grams			
Armand Bekattla				Х	Х	Х	32
BTCIH Outreach		Х			Х		29
Cree Nations Treatment Haven				Х	X Prescribe & maintain	Х	32

Program	Pregnant Women Receive Priority	Outpatient Services	Detox Services	Inpatient Services	Admit Clients on Methadone	Request HIV Status	Refer to Page #
Saskatchewan	First Nat	ions Treatr	nent Pro	grams co	ntinued		
Ekweskeet				Х		Х	33
Healing Lodge							
English River		X					29
First Nation							
Kahkewistahaw		Х					30
Band							
Keeseekoose		Х					30
Band							
Mistahey				Х		Х	33
Musqua							
Treatment							
Centre							
Sakwatamo				Х		Х	33
Lodge							
Saulteaux		Х			X	Х	31
Healing and							
Wellness Centre							
Star Blanket		X					31
Alcohol & Drug							
Abuse Program							
Wapiimoostoosi				Х		Х	34
s Healing Centre							
White Buffalo				Х	X	X	34
Treatment							
Centre							
Métis Treatme	ent Progra	ams					
Prince Albert		Х		Х	X	Х	35, 36
Métis Addictions							
Council of							
Saskatchewan							
Incorporated							
(MACSI)							
Regina - MACSI		Х		X	X	Х	35, 37
Saskatoon -		Х		Х	Х	Х	36, 37
MACSI							

Program	Pregnant Women Receive Priority	Outpatient Services	Detox Services	Inpatient Services	Admit Clients on Methadone	Request HIV Status	Refer to Page #
Athabasca Hea	alth Regio	on Treatme	ent Progra	ams			
Athabasca	Х	X					37
Health Facility -							
Black Lake							
Black Lake Clinic	Х	X					37
Addiction							
Services	.,	24					
Fond Du Lac	Х	Х					37
Clinic Addiction							
Services	X	X					27
Hatchet Lake Addiction	X	X					37
Services							
	. Dominu	Tuestanont	Due sue				
Cypress Healtl		1	Program	S		l	
Leader –	Х	Х			X	X	39
Addiction and							
Mental Health	· ·	V			V	· ·	
Maple Creek	X	Х			X	X	39
Hospital	.,	V				.,	
Shaunavon	X	X			X	X	39
Hospital							
Swift Current -	Х	Х			X	Х	39
Addiction and							
Mental Health							
Services		_					
Five Hills Heal	th Region		t Program	ns	T		
Assiniboia -		X			X		40
Addiction							
Services		\ <u>'</u>					
Moose Jaw -		Х			Х		40
Mental Health &							
Addiction							
Services							
Wakamow	X		X		X	Х	40
Manor							

Program	Pregnant Women Receive Priority	Outpatient Services	Detox Services	Inpatient Services	Admit Clients on Methadone	Request HIV Status	Refer to Page #
Heartland Hea	alth Regio	n Treatme	nt Progra	ıms			
Biggar -	Χ	Х			Х		41
Addiction							
Services							
Kindersley -	Х	Х			Х		41
Addiction							
Services							
Outlook -	Х	X			Х		41
Addiction							
Services							
Rosetown -	Х	X			X		41
Addiction							
Services							
Unity - Addiction	Х	X			Х		41
Services							
Keewatin Yatt	:hé Health	n Region Tr	eatment	Programs	5		
Beauval Health		Х					43
Clinic							
Buffalo Narrows		Х			Х		42
Clinic							
Family Healing		Х	Х				42, 43
Unit							
La Loche Health		Х					43, 44
Centre							
Kelsey Trail Ho	ealth Regi	ion Treatm	ent Prog	rams			
Hudson Bay/		Х			Х		44
Porcupine Plains							
Melfort -	Х	Х					45
Addiction							
Services							
Nipawin -	Х	х					45
Addiction							
Services							
Pine Island	X	Х					44
Outpatient							
Centre							
Tisdale -	X	х					45
Addiction							
Services							

	Pregnant						
Duaguaya	Women	Outpatient	Detox	Inpatient	Admit	Request	Refer to
Program	Receive	Services	Services	Services	Clients on	HIV	Page #
	Priority				Methadone	Status	
Mamawetan (Churchill I	River Healt	h Region	Treatme	nt Programs		
CADAC	Х	Х			Х		45
Outpatient							
Centre							
La Ronge Health	Х	Х	Х	Day	Х	Х	46, 47,
Centre - Mental				program	Developing a		48
Health and					program		
Addictions							
Services							
Pinehouse		X					46
Health Centre							
Sandy Bay		Х			X		46
Addictions and							
Mental Health							
Center							
Youth Addiction	Х	X					47
Services							
Prairie North	Health Re	gion Treat	ment Pro	grams			
Hopeview				Х		Х	50
Residence							
Lloydminster -	Х	Х			Х		48
Mental Health							
and Addictions							
Services							
North Battleford	Х	X			X		48
- Addiction							
Services							
Robert Simard	Х	X	Х		X		48, 49
Centre -							
Addictions							
Services							
Thorpe	Х		Х	Х	X	Х	49, 50
Recovery Centre							
Prince Albert	Parkland	Health Reg	ion Treat	ment Pro	grams		
Big River School		X			X		51, 52
- Addiction							
Services							
Birch Hills -		X			X		51, 52
Addiction							
Services							

	Pregnant						
Program	Women	Outpatient	Detox	Inpatient	Admit	Request	Refer to
	Receive	Services	Services	Services	Clients on	HIV	Page #
	Priority				Methadone	Status	
Prince Albert	Parkland	Health Reg	ion Treat	tment Pro	_	nued	
Canwood School		Х			Х		51, 52
- Addiction							
Services							
Kinistino/		Х			Х		51, 52
Weldon School -							
Addiction							
Services							
Leask School -		Х			Х		51, 52
Addiction							
Services							
Meath Park -		Х			Х		51, 52
Addiction							
Services							
Prince Albert		Х			X		51
Adult Addiction							
Services							
Prince Albert		Х			Х		51
Youth Addiction							
Services							
Brief and Social		Х	Х		Х		53
Detox							
Cooperative	Х	Х			Х	Only for	51
Health Clinic					Prescribe &	priority	
(Methadone					maintain	treatme	
Assisted						nt	
Recovery)							
Debden School -		х			X		51, 52
Addiction							
Services							
Pineview Youth	Х	Х		Х	Х		52
Treatment							
Centre							
Shellbrook &		X			X		51, 52
area -Addiction							
Services							
Spiritwood &		Х			Х		51, 52
area - Addiction							
Services							

Program	Pregnant Women Receive	Outpatient Services	Detox Services	Inpatient Services	Admit Clients on	Request HIV	Refer to Page #
	Priority				Methadone	Status	
Regina-Qu'Ap	pelle Hea	Ith Region	Treatme	nt Prograi	ms		
Detox Centre			Х				55
Fort Qu'Appelle	Х	Х			Х		54
- Addiction							
Services							
Grenfell - Rural	Х	X			X		54
Addiction							
Services							
Main Office –	Х	Х			Х		54
Adult Addiction							
Services							
Methadone	Х	Х			X	Only for	55
Clinic					Prescribe &	priority	
					maintain	treatme	
						nt	
Pine Lodge				Х			56
Treatment							
Centre Secure Youth			Х		X	Х	FC
Detox Centre			^		A Prescribe &	^	56
Detox Centre					maintain		
Youth Addiction	Х	Х			Х		54
Services	^	^			^		54
	alth Dogic	n Trootmo	nt Drogra) 100 C			
Saskatoon He		on Treatme					
Calder Centre	Х		Х	X	X	Х	59
			.,				
Calder Centre -	X		X		Х		58
Youth							
Stabilization	V	V			V		
Humbolt District	X	X			X		57
Health Complex - Mental Health							
and Addiction							
Services							
Lanigan -	Х	Х			Х		57
Addiction	^	^			^		5/
Services							
Jei vices							

	Pregnant						
	Women	Outpotions	Detox	Investigant	Admit	Dogwood	Refer to
Program	Receive	Outpatient Services	Services	Inpatient Services	Clients on	Request HIV	
	Priority	Services	Services	Services	Methadone		Page #
0.1.		_				Status	
Saskatoon He			nt Progra	ams conti			
Methadone	Х	X			X	Only for	58
Assisted					Prescribe &	priority	
Recovery					maintain	treatme	
Services						nt	
Rosthern -	X	X			X		57
Addiction							
Services							
Saskatoon –	Х	X			X		57
Adult Addiction							
Services							
Saskatoon –	Х	Х			Х		57
Youth Addiction							
Services							
Social Detox and	Х		Х		Х	Х	59
Brief Detox							
Sun Country F	lealth Reg	gion Treatm	nent Prog	grams			
Community		Х			Х		60
Support Program		^			^		00
Kipling Memorial		Х			х		61
Health Centre -		^			^		01
Addiction							
Services							
St. Joseph's		Х			Х		60
Addiction		^			^		00
Services							
Weyburn -		Х			Х		60
Addiction		^			^		90
Services							
Youth Addiction		Х			Х		60
Services		^			^		60
	Doolog						
Sunrise Health	Region				I .	ı	
Saul Cohen		X			Х		61
Centre							
Addictions							
Services							
Yorkton - Mental		X			Х		61
Health and							
Addictions							

Appendix C – Program Information for Saskatchewan Substance Use Treatment Programs That Provide Services for Pregnant Women

The following table is organized by treatment provider (e.g., First Nations treatment programs, Metis Addictions Council, Saskatchewan health region), and further broken down by type of treatment provided (e.g., outpatient, inpatient, detox,

Saskatchew	an First Natio	ns Treatment Programs
Outpatient	Programs	
BTCIH Outreach	Population Addressed	First Nations and Inuit women, men and youth (10 years and older) with substance use issues
	Services Provided	 Outpatient treatment Ongoing group sessions Individual and parent/child counselling Admit clients on methadone
	Services for Pregnancy Intake Process	 Admit pregnant women Pregnant women are referred to Maternal and Child program Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	BTCIH Outreach 1192-101st Street, 2nd Floor Box 1658 North Battleford, SK S9A 3W2 Tel: (306) 937-6700 Fax: (306) 468-2072 Email: jwkennedy@btchealth.org
English River First Nation	Population Addressed	Primarily First Nations women, men, and youth but accept all nations
(National Native Alcohol and Drug Abuse Program;	Services Provided	 Outpatient treatment Drug and alcohol rehabilitation counselling Workshops Relapse prevention
NNADAP)	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact Information	English River First Nation NNADP Drug and Addiction Program Box 60 Patuanak, SK SOM 2H0 Tel: (306) 396-2070 Fax: (306) 396-2177

Kahkewistah aw Band -	Population Addressed	Primarily First Nations women, men, and youth but accept all nations
NNADAP	Services Provided	 Outpatient treatment Drug and alcohol rehabilitation counselling Workshops Relapse prevention
	Services for Pregnancy	Admit pregnant women
	Intake Process	 Individuals can self refer or referrals can be done by outside agencies
	Contact Information	Kahkewistahaw Band PO Box 850 Broadview, SK SOG 0K0 Tel: (306) 696-2660 Fax: (306) 696-3201
Keeseekoose Band -	Population Addressed	Primarily First Nations women, men, and youth but accept all nations
NNADAP	Services Provided	 Outpatient treatment Drug and alcohol rehabilitation counselling Workshops Relapse prevention
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact Information	Keeseekoose Band PO Box 1120 Kamsack, SK SOA 1SO Tel: (306) 542-2012 ext. 236 Fax: (306) 542-2586

Saulteaux Healing and Wellness Centre	Population Addressed	First Nations and Inuit women, men and youth with substance use issues
	Services Provided	 Outpatient treatment (4 month program) Continuous intake Admit clients on methadone
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
		Detox required
		HIV status requested upon intake
	Contact	Saulteaux Healing and Wellness Centre
	Information	Box 868
		Kamsack, SK SOA 1SO Tel: (306) 542-4110
		Email: shwc@sasktel.net
Star Blanket	Population	Primarily First Nations women, men, and youth but accept all
Alcohol and	Addressed	nations
Drug Abuse	Services	Outpatient treatment
Program -	Provided	Drug and alcohol rehabilitation counselling
NNADAP		Provide referrals for methadone treatment
		Workshops
		Relapse prevention
	Services for	Admit pregnant women
	Pregnancy	
	Intake Process	 Individuals can self refer or referrals can be done by outside agencies
	Contact Information	 Star Blanket Alcohol and Drug Abuse Program PO Box 456 Balcarres, SK SOG OCO Tel: (306) 334-2206

Saskatchewan First Nations Treatment Programs				
Inpatient Programs				
Armand Bekattla	Population Addressed	First Nations and Inuit women, men and youth with substance use issues		
	Services Provided Services for Pregnancy Intake Process	 Inpatient treatment (4 week closed program); 17 beds Admit clients on methadone Elders available for counselling Admit pregnant women Referral needed from NNADAP worker or addictions counsellor Assessment is taken from referral agency Detox is required - preferably 7-10 days but flexible if necessary HIV status requested on intake form of referral agency 		
	Contact Information	Armand Bekattla Box 5010 Clearwater River, SK SOM 3H0 Tel: (306) 822-2033 Email: crdntc@sasktel.net		
Cree Nations Treatment	Population Addressed	First Nations and Inuit women and men with substance use issues		
Haven	Services Provided	 Inpatient treatment (35 day open program); 7 beds Prescribe methadone and admit clients already on methadone Couple counselling 		
	Services for Pregnancy	 Admit pregnant women - may not accept women in late third trimester due to facilities 		
	Intake Process	 Individuals can self refer or referrals can be done by outside agencies Detox is required Medical assessment completed upon intake, and HIV status is requested 		
	Contact Information	Cree Nations Treatment Haven Box 340 Canwood, SK SOJ OKO Tel: (306) 468-2072 Email: cree.nations@sasktel.net Website: www.creenationstreatmenthaven.com		

Ekweskeet	Population	First Nations and Inuit women and men with substance use issues
Healing	Addressed	
Lodge	Services	Inpatient treatment (6 week closed program -will take new clients
	Provided	during the first week of the program if space is available); 7 beds
		Couples counselling
	Services for	Admit pregnant women
	Pregnancy	
	Intake Process	 Individuals can self refer or referrals can be done by outside agencies
		Detox is required
		Medical assessment done upon intake, and HIV status requested
	Contact	Ekweskeet Healing Lodge
	Information	Box 280
		Onion Lake, SK SOM 2E0
		Tel: (306) 344-2094 Toll-free: 1-866-314-1740
		Email: hilary.harper@onionlake.ca
Mistahey Musqua	Population Addressed	First Nations and Inuit women and men with substance use issues
Treatment	Services	 Inpatient treatment (32 day program); 6 beds
Centre	Provided	Couples counselling
	Services for	Admit pregnant women
	Pregnancy	
	Intake Process	Require referral from community addictions worker
		HIV status requested upon intake
	Contact	Mistahey Musqua Treatment Centre
	Information	Box 404
		Loon Lake, SK SOM 1L0
		Tel: (306) 837-2184 Toll free: 1-866-530-2184
6.1	Day Latin	Email: mmtc@sasktel.net
Sakwatamo Lodge	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services	 Inpatient treatment (40 day closed program); 10 beds
	Provided	Family treatment; children aged 0-11 can room-in
		Couples counselling and parent/child counselling
	Services for	Admit pregnant women
	Pregnancy	• If woman is late in her third trimester, she is asked to wait to start
		the program until after the is baby born
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
		HIV status requested upon intake
	Contact	Sakwatamo Lodge
	Information	Box 3917
		Melfort, SK S0E 1A0
		Ph: (306) 864-3631 or (306) 864-3632 or (877) 864-3631 (Toll free)
		Email: sakwatamo@sasktel.net

Wapiimoosto osis Healing Centre	Population Addressed	 First Nations women and men (18 years and older) with substance use issues Residential school victims
	Services Provided	Inpatient treatment (28 day closed program); 12 bedsOne-on-one counselling
	Services for Pregnancy	Admit pregnant women
	Intake Process	 Individuals can self refer or referrals can be done by outside agencies Detox is preferred but not mandatory Medical assessment done upon intake, and HIV status requested
	Contact Information	Wapiimoostoosis Healing Centre Box 117 Lebret, SK SOG 2Y0 Tel: (306) 332-3363 Fax: (306) 332-3366
White Buffalo	Population Addressed	First Nations and Inuit female youth (12 – 17 years old) with substance use issues
Treatment Centre	Services Provided	Inpatient treatment (6 month program); 10 bedsAdmit women on methadone
	Services for Pregnancy	 Admit pregnant women If baby is born while the mother is in the program, the baby can room-in Other children are able to stay on weekends
	Intake Process	 Require referral from healthcare provider, NNADAP worker or addictions counsellor HIV status requested upon intake
	Contact Information	White Buffalo Treatment Centre Located on Sturgeon Lake First Nation Box 2500 Prince Albert, SK S6V 7G3 Tel: (306) 764-5250 Toll free: 1-888-764-9282 Fax: (306) 764-5255 Email: wbuffalo@sasktel.net Website: http://www.members.shaw.ca/ysac/centres/WhiteBuffalo YouthCentre.htm

Saskatchewan Métis Addictions Council Treatment Programs				
Outpatient Programs				
Prince Albert Métis Addictions Council of SK Incorporated (MACSI) Program	Population Addressed	Women, men and youth with substance use issuesSome reliance on cultural teachings but anyone is welcome		
	Services Provided	 Outpatient treatment Admit women on methadone Provide referrals for detox Group and one-on-one counselling 		
	Services for Pregnancy	Admit pregnant women		
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake 		
	Contact Information	MACSI - Prince Albert 334 - 19 Street East Prince Albert, SK S6V 1J7 Tel: (306) 953-8250 Toll-free: 1-866-722-2155 (Saskatchewan only) Fax: (306) 953-8261		
Regina - MACSI	Population Addressed	 Women, men and youth with substance use issues Some reliance on cultural teachings but anyone is welcome 		
	Services Provided	 Outpatient treatment Admit clients on methadone Provide referrals for detox Group and one-on-one counselling 		
	Services for Pregnancy	Admit pregnant women		
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake 		
	Contact Information	MACSI - Regina 329 College Avenue East Regina, SK S4N 0V9 Tel: (306) 352-9601 Toll-free: 1-866-815-6515 (Saskatchewan only) Fax: (306) 347-7902		

Saskatoon -	Population	Women, men and youth with substance use issues
MACSI	Addressed	Some reliance on cultural teachings but anyone is welcome
	Services	Outpatient treatment, including a 6 week day program
	Provided	Admit clients on methadone
		Provide referrals for detox
		Group and one-on-one counselling
	Services for	Admit pregnant women
	Pregnancy	
	Intake Process	Individuals can self refer or referrals can be done by family or
		outside agencies
		HIV status requested upon intake
	Contact	Saskatoon
	Information	335 Avenue G South
		Saskatoon, SK S7M 1V2
		Tel: (306) 652-8951
		Toll-free: 1-877-652-8951 (Saskatchewan only)
		Fax: (306) 306-665-0703

Saskatchewan Métis Addictions Council Treatment Programs

Inpatient Programs

Prince Albert - MACSI	Population Addressed	 Women and men with substance use issues Some reliance on cultural teachings but anyone is welcome
	Services Provided	 Inpatient treatment (28 day program); 16 beds Admit clients on methadone Group and one-on-one counselling
	Services for Pregnancy	Admit pregnant women up until third trimester
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake
	Contact	MACSI - Prince Albert
	Information	334 - 19 Street East
		Prince Albert, SK S6V 1J7
		Tel: (306) 953-8250
		Toll-free: 1-866-722-2155 (Saskatchewan only)
		Fax: (306) 953-8261

Regina -	Population	Women and men with substance use issues
MACSI	Addressed	Some reliance on cultural teachings but anyone is welcome
	Services	Inpatient treatment (28 day program); 12 beds
	Provided	Admit clients on methadone
		Group and one-on-one counselling
	Services for	Admit pregnant women up until third trimester
	Pregnancy	
	Intake Process	Individuals can self refer or referrals can be done by family or
		outside agencies
		HIV status requested upon intake
	Contact	Regina
	Information	329 College Avenue East
		Regina, SK S4N 0V9
		Tel: (306) 352-9601
		Toll-free: 1-866-815-6515 (Saskatchewan only) Fax: (306) 347-7902
Saskatoon -	Population	` '
Saskatoon -	Population	Women and men with substance use issues
NAACCI	A diduccood	
MACSI	Addressed	Some reliance on cultural teachings but anyone is welcome
MACSI	Services	 Some reliance on cultural teachings but anyone is welcome Inpatient treatment (28 day program); 15 beds
MACSI		
MACSI	Services	Inpatient treatment (28 day program); 15 beds
MACSI	Services	Inpatient treatment (28 day program); 15 bedsAdmit clients on methadone
MACSI	Services Provided	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling
MACSI	Services Provided Services for	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling
MACSI	Services Provided Services for Pregnancy	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester
MACSI	Services Provided Services for Pregnancy Intake Process	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester Individuals can self refer or referrals can be done by family or
MACSI	Services Provided Services for Pregnancy Intake Process Contact	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake Saskatoon
MACSI	Services Provided Services for Pregnancy Intake Process	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake Saskatoon 335 Avenue G South
MACSI	Services Provided Services for Pregnancy Intake Process Contact	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake Saskatoon 335 Avenue G South Saskatoon, SK S7M 1V2
MACSI	Services Provided Services for Pregnancy Intake Process Contact	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake Saskatoon 335 Avenue G South Saskatoon, SK S7M 1V2 Tel: (306) 652-8951
MACSI	Services Provided Services for Pregnancy Intake Process Contact	 Inpatient treatment (28 day program); 15 beds Admit clients on methadone Group and one-on-one counselling Admit pregnant women up until third trimester Individuals can self refer or referrals can be done by family or outside agencies HIV status requested upon intake Saskatoon 335 Avenue G South Saskatoon, SK S7M 1V2

Saskatchewan Treatment Programs Organized by Health Region		
		- http://www.athabascahealth.ca/
Outpatient		
Athabasca Health	Population Addressed	Women, men and youth with substance use issues
Authority Addictions Services	Services Provided	 Outpatient treatment Black Lake location has a 10 week outpatient program Rehabilitation counselling, including intensive one-on-one and group counselling Assessments, education and support
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Addiction Services - Black Lake Athabasca Health Facility (near Stony Rapids) Box 124 Black Lake, SK SOJ 0H0 Tel: (306) 439-2200 Fax: (306) 439-2211 Addiction Services Black Lake Clinic Box 162 Black Lake, SK SOJ 0H0 Tel: (306) 284-2124 Fax: (306) 284-2173 Addiction Services Hatchet Lake Box 169
		Hatchet Lake, SK SOJ 3CO Tel: (306) 633-2088 Fax: (306) 633-2013 Addiction Services Fond Du Lac Clinic Box 39 Fond Du Lac, SK SOJ 0W0 Tel: (306) 686-2077 Fax: (306) 686-2050

Cypress Hea	alth Region - <u>h</u>	ttp://www.cypresshealth.ca/
Outpatient	Programs	
Cypress Health	Population Addressed	Women, men and youth with substance use issues
Region Addiction Services	Services Provided	 Outpatient treatment Screening and assessment for users and affected family and friends Admit clients on methadone after screening by a physician Alcohol and drug counselling, recovery planning
		 Community education and development PARTY (Prevent Alcohol and Risk Related Trauma in Youth) program for youth
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies Individuals are asked about medical conditions (including HIV) upon intake
	Contact Information	Addiction and Mental Health Services - Swift Current Centralized Intake 350 Cheadle Street West Swift Current, SK S9H 4G3 Tel: (306) 778-5280 Fax: (306) 778-5425 Addictions and Mental Health Services
		Maple Creek Hospital Box 1328, 575 Hwy 21 South Maple Creek, SK SON 1N0 Tel: (306) 778-5280 Fax: (306) 778-5425
		Addictions and Mental Health Services - Leader 519 Main St East Leader, SK SON 1H0 Tel: (306) 778-5280 Fax: (306) 778-5425
		Addictions and Mental Health Services Shaunavon Hospital 660 4th St East Shaunavon, SK SON 2M0 Tel: (306) 778-5280 Fax: (306) 778-5425

Five Hills Ho	ealth Region -	http://www.fhhr.ca/
Outpatient	Programs	
Five Hills Health	Population Addressed	Women, men and youth with substance use issues
Region	Services Provided	 Outpatient treatment Admit clients on methadone after screening by a physician Counselling and education sessions Moose Jaw location has a community education course
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Mental Health & Addiction Services - Moose Jaw Five Hills Health Region Centralized Intake 455 Fairford Street East, 4 th Floor Moose Jaw, SK S6H 1H3 Tel: (306) 691-6470 or (306) 694-0379 Fax: (306) 691-6461 Addiction Services - Assiniboia Assiniboia Union Hospital 501 6 th Ave E Box 1120 Assiniboia, SK S0H 0B0 Tel: (306) 642-9425 Fax: (306) 642-9459
Detoxificati	ion Programs	
Wakamow Manor	Population Addressed	Women, men and youth (16 years and older) with substance use issues
	Services Provided	 Social detoxification treatment (10-14 days); 20 beds Admit clients on methadone
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies Individuals require physician clearance for detox; current prescriptions must be faxed in HIV status requested upon intake
	Contact Information	Wakamow Manor 200 Iroquois Street East Moose Jaw, SK S6H 4T3 Tel: (306) 694-4030 Fax: (306) 694-4031

Heartland H	Health Region	- http://www.hrha.sk.ca/
Outpatient	Programs	
Heartland Health	Population Addressed	Women, men and youth with substance use issues
Region Addictions Services	Services Provided	 Outpatient treatment Admit clients on methadone Counselling Referral to inpatient facilities Drug Diversion Program
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Addictions Services - Centralized Intake Toll-free: 1-866-268-9139
		Addiction Services - Biggar Box 130 Biggar, SK SOK OMO Tel: (306) 948-3323 (Ext. 234) Fax: (306) 948-3881
		Addiction Services - Kindersley 1003 1 st Street West Kindersley, SK SOL 1S2 Tel: (306) 463-1000 (Ext. 403 or 404) Fax: (306) 463-5520 Addiction Services - Rosetown Box 1300 Rosetown, SK SOL 2V0 Tel: (306) 882-6413 (ext 294) Fax: (306) 882-6474
		Addiction Services – Unity Box 741 Unity, SK S0K 4L0 Tel: (306) 228-2666 (ext 350) Fax: (306) 228-2281 Addiction Services - Outlook Box 369 Outlook, SK S0L 2N0 Tel: (306) 867-8676 (ext 407) Fax: (306) 867-2069

Keewatin Yatthé Health Region - http://www.kyrha.ca/			
Outpatient	Outpatient Programs		
Buffalo Narrows Clinic – Mental Health and Addictions	Population Addressed	Women, men and youth with substance use issues	
	Services Provided Services for Pregnancy	 Outpatient counselling Admit clients on methadone Admit pregnant women 	
Services	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies	
	Contact Information	Mental Health and Addictions Services Buffalo Narrows Clinic Box 40 Buffalo Narrows, SK SOM 0J0 Tel: (306) 235-5846 Fax: (306) 235-4500	
Family Healing Unit,	Population Addressed	Women, men and youth with substance use issues	
Addictions Recovery and Education Services	Services Provided	 Outpatient treatment One-on-one and group counselling Referrals to inpatient treatment 	
	Services for Pregnancy	Admit pregnant women	
	Intake Process	Individuals can self refer or referrals can be done by outside agencies	
	Contact Information	Family Healing Unit Box 340 Ile a la Crosse, SK SOM 1C0 Tel: (306) 833-2462 Fax: (306) 833-2474	

Keewatin Yatthé	Population Addressed	Women, men and youth with substance use issues
Health Region	Services Provided	Outpatient treatment Individual assessments
Addictions Services		One-on-one counselling, family and group therapy
Services		Referrals to residential or outpatient programs
		Referrals to residential of outpatient programs Referrals to other professionals and agencies
	Services for	Admit pregnant women
	Pregnancy	Aumit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact	La Loche Health Centre
	Information	Box 89
		La Loche, SK SOM 1G0
		Tel: (306) 822-3230 Centralized Intake Toll-free: 1-888-688-7087 Fax: (306) 822-2274
		Beauval Health Clinic Box 68
		Beauval, SK SOM 0G0
		Tel: (306) 288-4800 Toll-free: 1-888-848-8022
		Fax: (306) 288-4622
Detoxificati	on Programs	
Family Healing Unit,	Population Addressed	Women, men and youth with substance use issues
Addictions Recovery and Education Services	Services Provided	Social detoxification (3 – 5 day program); 4 beds
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact	Addictions Recovery and Education Services
		Family Healing Unit
		Box 340
		Ile a la Crosse, SK SOM 1CO
		Tel: (306) 833-2462
		Fax: (306) 833-2474

La Loche	Population	Women, men and youth with substance use issues
Health	Addressed	
Centre	Services Provided	Social detoxification; 4 beds
	Services for	Admit pregnant women
	Pregnancy	
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies
	Contact	La Loche Health Centre
		Box 89
		La Loche, SK SOM 1G0 Tel: (306) 822-3230 Centralized Intake Toll-free: 1-888-688-7087
		Fax: (306) 822-2274
Kelsey Trail	Health Region	n - http://www.kelseytrailhealth.ca/
Outpatient	Programs	
Hudson Bay/ Porcupine	Population Addressed	Women and men (20 years and older) with substance use issues
Plains	Services	Outpatient treatment
	Provided	Admit clients on methadone after screening by a physicianCounselling
	Services for	Admit pregnant women
	Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact	Hudson Bay/Porcupine Plains
	Information	Box 940
		Hudson Bay, SK S0E 0Y0 Tel: (306) 865-4211 or (306) 752-8767
		Fax: (306) 865-2141
Pine Island Outpatient	Population Addressed	Women, men and youth with substance use issues
Centre	Services	Outpatient treatment
	Provided	Counselling
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact	Pine Island Outpatient Centre
	Information	Box 218
		Cumberland House, SK SOE 0S0
		Tel: (306) 888-2155 Fax: (306) 888-4633
		1 ax. (300) 000-4033

Kelsey Trail Health Region Addictions Services	Population Addressed	Women, men and youth with substance use issues
	Services Provided	 Outpatient treatment Behaviour management counselling Psychological assessment
	Services for Pregnancy	 Pregnant women receive priority treatment and are seen within 24 hours
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Addiction Services – Melfort Box 1480 Melfort, SK SOE 1A0 Tel: (306) 752-8767 Fax: (306) 752-8764
		Addiction Services - Nipawin 800 - 6 Street East Nipawin, SK S0E 1E0 Tel: (306) 862-9822 Fax: (306) 862-3250
		Addiction Services – Tisdale Box 1630 Tisdale, SK SOE 1T0 Tel: (306) 873-3760 Fax: (306) 873-1049
Mamaweta	an Churchill Riv	ver Health Region - http://www.mcrrha.sk.ca/
Outpatient	Programs	
CADAC Outpatient	Population Addressed	Women, men and youth with substance use issues
Centre	Services Provided	 Outpatient treatment Admit clients on methadone One-on-one and group counselling Referrals, education and resources
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	CADAC Outpatient Centre Box 760, 430 Main Street Creighton, SK SOP 0A0 Tel: (306) 688-8291 Fax: (306) 688-3784

La Ronge Health Centre, Mental Health and Addiction Services	Population Addressed	Women, men and youth with substance use issues
	Services Provided	 Outpatient treatment Developing a program for women on methadone Counselling Community presentations
Services	Services for Pregnancy	Admit pregnant women
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Mental Health & Addictions Services - La Ronge Health Centre Box 6000, 227 Backlund Street La Ronge, SK SOJ 1L0 Tel: (306) 425-4840 Fax: (306) 425-8514
Pinehouse Health	Population Addressed	Women, men and youth with substance use issues
Centre, Addiction	Services Provided	Outpatient treatmentOne-on-one counselling
Services	Services for Pregnancy	Admit pregnant women
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Addiction Services - Pinehouse Health Centre Box 70 Pinehouse, SK SOJ 2B0 Tel: (306) 884-5689 Fax: (306) 884-5699
Sandy Bay Addictions	Population Addressed	Women, men and youth with substance use issues
and Mental Health Center	Services Provided	 Outpatient treatment Admit clients on methadone One-on-one counselling Referrals to other treatment centres
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Sandy Bay Addictions and Mental Health Center Box 40 Sandy Bay, SK SOP 0G0 Tel: (306) 754-5425
		Fax: (306) 754-2048

Youth Addiction	Population Addressed	Youth (up to 18 years) with substance use issues
Services	Services Provided	 Outpatient treatment One-on-one and group counselling, education and support Preventative work in the community
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Youth Addiction Services 320 Boardman Street Box 6000 La Ronge, SK SOJ 1L0 Tel: (306) 425-8572 Fax: (306) 425-8570
Day Progra	ms	
La Ronge Health	Population Addressed	Women and men (18 years and older) with substance use issues
Centre, Mental Health and	Services Provided	 Day program treatment (50 hours, 5 hours a day); 8 beds Continuous intake Counselling
Addiction Services	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies Detox required HIV and HCV status requested upon intake
	Contact Information	La Ronge Health Centre Box 6000, 227 Backlund Street La Ronge, SK SOJ 1L0 Tel: (306) 425-4840 Fax: (306) 425-8514

Detoxificati	on Programs	
La Ronge Health	Population Addressed	Women and men (18 years and older) with substance use issues
Centre, Mental	Services Provided	 Social detoxification (5 – 7 days); 8 beds Individuals also participate in the day program
Health and Addiction Services	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies
	Contact	 HIV status requested upon intake La Ronge Health Centre
		Box 6000, 227 Backlund Street La Ronge, SK SOJ 1L0
		Tel: (306) 425-4846 Fax: (306) 425-8514

Prairie North Health Region - http://www.pnrha.ca/

Outpatient	Programs	
Prairie North Health Region Addiction Services	Population Addressed	Women, men and youth with substance use issues
	Services Provided	 Outpatient treatment Admit clients on methadone One-on-one and group counselling Education and support
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Mental Health & Addictions Services - Lloydminster 3830 43rd Avenue Lloydminster, SK S9V 1Y3 Tel: (306) 820-6250 Tel: (306) 820-6256 Addiction Services - North Battleford 1092 - 107 Street North Battleford, SK S9A 1Z1 Tel: (306) 446-6440 Fax: (306) 446-7343 Robert Simard Centre - Addictions Services 8 - 711 Centre Street Meadow Lake, SK S9X 1E6 Tel: (306) 236-1580 Fax: (306) 236-1400

Detoxificati	ion Programs	
Robert Simard Centre, Addictions Services	Population Addressed	Women, men and youth with substance use issues
	Services Provided	 Social detoxification Admit clients on methadone One-on-one and group counselling Education and support
	Services for Pregnancy	Pregnant women receive priority treatmentWomen late in pregnancy require a doctor's note
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Robert Simard Centre - Addictions Services 8 - 711 Centre Street Meadow Lake, SK S9X 1E6 Tel: (306) 236-1546 Fax: (306) 236-1607
Thorpe Recovery	Population Addressed	Women and men (18 years and older) with substance use issues
Centre	Services Provided	Medical detoxification (5-7 days)Admit clients on methadone on a case dependent basis
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Require referral from an addictions counsellorHIV status requested upon intake
	Contact Information	Thorpe Recovery Centre 4204 54th Street Lloydminster, AB T9V 2R6 Tel: (780) 875-8890 Fax: (780) 875-2161

Inpatient P	rograms	
Thorpe Recovery	Population Addressed	Women and men (18 years and older) with substance use issues
Centre	Services Provided	Inpatient, closed treatment (42-day program)Admit clients on methadone on a case dependent basis
	Services for Pregnancy	 Pregnant women receive priority treatment Do not have facilities to allow women to continue treatment if they give birth while in residence
	Intake Process	 Require referral from an addictions counsellor Detox preferred but not required HIV status requested upon intake
	Contact Information	Thorpe Recovery Centre (Short-term residential service) 4204 54th Street Lloydminster, AB T9V 2R6 Tel: (780) 875-8890 Fax: (780) 875-2161
Hopeview Residence	Population Addressed	Women and men (19 years and older) with substance use issues
	Services Provided	Inpatient treatment (12 week program); 9 bedsAbstinence based
	Services for Pregnancy	Admit pregnant women in 1st and 2nd trimester, but not in the third
	Intake Process	 Require referral from a mental health and addictions worker Detox is required HIV status is requested during intake medical assessment
	Contact Information	Hopeview Residence (Long-term Residential Services) 1891 - 96th Street North Battleford, SK S9A 0J1 Tel: (306) 446-7370 Fax: (306) 445-0424

Prince Albe	rt Parkland He	ealth Region - http://www.paphr.sk.ca/
Outpatient	Programs	
Cooperative Health Clinic (Methadone Assisted Recovery Program)	Population Addressed	 Women and men (17 years and older) with opiate use issues Priority given to people living with HIV/AIDS
	Services Provided	 Outpatient treatment Prescribe methadone and admit clients already on methadone Screening and assessment One-on-one addictions counselling
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Doctor must send current prescriptions Intake assessment with a case coordinator Do not have to disclose HIV status unless requesting priority treatment
	Contact Information	Cooperative Health Clinic (Methadone Assisted Recovery Program) 110 - 8th Street East Prince Albert, SK S6V 0V7 Tel: (306) 953-6241 Fax: (306) 763-2207
Prince Albert-	Population Addressed	Women, men and youth with substance use issues
Parkland Health Region Addictions Services	Services Provided	 Outpatient treatment Admit women on methadone Referral services to inpatient, outpatient and/or self-help programs and other agencies One-on-one counselling, including child and parent/child counselling
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact Information	Addiction Services - Prince Albert - Adult 101 - 15 Street East Prince Albert, SK S6V 1G1 Tel: (306) 765-6550 Fax: (306) 765-6554
		Addiction Services - Prince Albert - Youth 101 - 15 Street East Prince Albert, SK S6V 1G1 Tel: (306) 765-6565 Fax: (306) 765-6567

Addiction Services - Birch Hills Birch Hills Health Centre 7 Wilson Street - Box 578 Birch Hills, SK SOJ OGO

Tel: (306) 749-3302 or Cell: (306) 961-0772

Fax: (306) 749-2440

Addiction Services - Kinistino/Weldon School

Cell: (306) 864-8022

Addiction Services - Meath Park School Tel: (306) 922-2131 or Cell: (306) 940-9112

Addiction Services - Leask School

Tel: (306) 466-2206 or Cell: (306) 960-1683

Addiction Services - Big River School

Tel: (306) 469-2288 or Cell: (306) 469-0019

Addiction Services - Canwood School

Tel: (306) 468-2150 or Cell: (306) 469-0019

Addiction Services - Debden School

Tel: (306) 724-2181 or Cell: (306) 469-0019

Addiction Services - Shellbrook & Area

211 2nd Avenue West

Box 70

Shellbrook, SK SOJ 2E0

Tel: (306) 747-4275 or Cell: (306) 747-7274

Fax: (306) 747-3004

Addiction Services - Spiritwood & Area

Box 69

Spiritwood, SK SOJ 2M0

Tel: (306) 883-3344 or Cell: (306) 883-8004

Toll-free: 1-866-335-8633

Fax: (306) 883-4440

Detoxificati	ion Programs	
Brief and	Population	Women and men (18 years and older) with substance use issues
Social Detox	Addressed	
	Services	Brief detoxification (24 hours); 8 beds
	Provided	Social detox(3 – 18 days); 6 beds
		Continuous intake
		Admit women on methadone
	Services for	Admit pregnant women
	Pregnancy	Attached to hospital so can admit pregnant women at any time
	Intake Process	Individuals can self refer or referrals can be done by outside
		agencies
	Contact	Brief and Social Detox
	Information	Victoria Hospital Site
		1200 - 24th St. West
		Box 3000
		Prince Albert, SK S6V 5T4
		Tel: (306) 765-6700
		Fax: (306) 765-6701
Inpatient P	rograms	
Pineview	Population	Youth (12 – 17 years) with substance use issues
Youth	Addressed	
Treatment	Services	Inpatient treatment (28 day program); 6 beds
Centre	Provided	Continuous intake
		Admit youth on methadone
	Services for	Pregnant women receive priority treatment
	Pregnancy	
	Intake Process	Individuals can self refer or referrals can be done by outside
		agencies
	Contact	Pineview Youth Treatment Centre
	Information	Unit 7 - 701 - 13th St. West
		Pineview Terrace
		Prince Albert, SK S6V 3H2
		Tel: (306) 765-6670
		Fax: (306) 765-6674

Regina-Qu'	Regina-Qu'Appelle Health Region - http://www.rqhealth.ca/		
Outpatient	Programs		
Regina- Qu'Appelle	Population Addressed	Women, men and youth with substance use issues	
Health Region, Addiction	Services Provided	 Day patient and outpatient treatment Admit clients on methadone Counselling and treatment for clients and their families 	
Services	Services for Pregnancy	Pregnant women receive priority treatment	
	Intake Process	Individuals can self refer or referrals can be done by outside agencies	
	Contact Information	Addiction Services (Main Office – Adult Addictions) 1640 Victoria Avenue Regina, SK S4P 0P7 Tel: (306) 766-6600 Fax: (306) 766-7909 Addiction Services (Youth) 2110 Hamilton Street Regina, SK S4P 2E3 Tel: (306) 766-7910 Fax: (306) 766-7909 Addiction Services - Fort Qu'Appelle 178 Boundary Ave - Box 1819 Fort Qu'Appelle, SK S0G 1S0 Tel: (306) 332-3300 Fax: (306) 332-1226 Rural Addiction Services - Grenfell 721 Stella Street - Box 970 Grenfell, SK S0G 2B0 Toll Free: 1-866-367-8743 Tel: (306) 697-2556	

Methadone	Population	Women, men and youth who with opiate use issues
Clinic	Addressed	Priority given to individuals living with HIV/AIDS
	Services	Outpatient treatment
	Provided	Prescribe methadone and admit clients already on methadone
		Screening and assessment
		One-on-one counselling, outreach, and education
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
		Disclosure of HIV status is required if requesting priority treatment
	Contact	Methadone Clinic
	Information	1048 Albert Street
		Regina, SK S4R 2P8
		Tel: (306) 766-6350
		Fax: (306) 766-7
Detoxificat	ion Programs	
Detox Centre	Population Addressed	Women, men and youth with substance use issues
	Services	Social detoxification (5 - 7 days)
	Provided	One-on-one and group counselling, education
	Services for Pregnancy	Admit pregnant women
	Intake Process	Require referral from a doctor
	Contact	Detox Centre
	Information	1640 Victoria Avenue
		Regina, SK S4P 0P7
		Tel: (306) 766-6600
		Fax: (306) 766-7969

Secure Youth Detox	Population Addressed	 Youth (12 – 18 years) who have received a detoxification order through the Youth Drug Detox and Stabilization Act
	Services Provided	 Residential medical detox (5 to 15 days); 6 beds Prescribe methadone and admit clients already on methadone One-on-one and group counselling
	Services for Pregnancy	Admit pregnant women
	Intake Process	 Detox order is required; individuals can then self refer or referrals can be done by outside agencies HIV status requested during intake
	Contact Information	Secure Youth Detox Centre Ritter Avenue & Toot Hill Box 1452 Regina, SK S4P 3C2 Tel: (306) 787-1058 Fax: (306) 798-4307
Inpatient P	rograms	
Pine Lodge Treatment	Population Addressed	Women and men (18 years and older) with substance use issues
Centre	Services Provided	 Inpatient treatment (28 day program) Abstinence based - do not accept individuals on methadone Group counselling
	Services for Pregnancy	 Admit pregnant women If pregnant woman is in her third trimester, she is asked to wait until the baby is born to start treatment
	Intake Process	 Require referral from Alcohol and Drug Services Detox required
	Contact Information	Pine Lodge Treatment Centre Box 457 Indian Head, SK SOG 2K0
		Tel: (306) 695-2251 Fax: (306) 695-2514

Saskatoon I	Health Region	- http://www.saskatoonhealthregion.ca/
Outpatient	Programs	
Saskatoon Health	Population Addressed	Women, men and youth with substance use issues
Region Addictions Services	Services Provided	 Outpatient treatment Admit individuals on methadone Counselling Referrals for detox
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact Information	Addiction Services - Saskatoon (Adult) 122 – 3 rd Avenue North, Main Floor Saskatoon, SK S7K 2H6 Tel: (306) 655-4100 Fax: (306) 655-4115 Addiction Services - Saskatoon (Youth) 311 – 20 th Street East
		Saskatoon, SK S7K 0A9 Tel: (306) 655-4900 Fax: (306) 655-4931 Addiction Services - Lanigan Box 1060 Lanigan, SK S0K 2M0 Tel: (306) 365-1438 Fax: (306) 365-2099
		Addiction Services – Rosthern Box 216 Rosthern, SK SOK 3R0 Tel: (306) 232-6001 (ext 222) Fax: (306) 232-4269 Mental Health & Addiction Services Humbolt District Health Complex Box 1930, 515 - 14th Avenue Humboldt, SK SOK 2A0 Tel: (306) 682-5333 Fax: (306) 682-4417

Methadone Assisted	Population Addressed	 Women and men with opiate use issues Individuals living with HIV/AIDS receive priority based on the
Recovery		severity of their disease
Services	Services Provided	 Outpatient treatment Prescribe methadone and admit clients already on methadone Screening and assessment One-on-one counselling
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	 Individuals can self refer or referrals can be done by outside agencies Disclosure of HIV status is required if requesting priority treatment
	Contact Information	Methadone Assisted Recovery Services 345 4th Avenue South Saskatoon, SK S7K 5S5 Tel: (306) 655-0480 Fax: (306) 655-0459
Detoxificati	ion Programs	
Calder Centre -	Population Addressed	Youth (under 17 years) with substance use issues
Youth Stabilization	Services Provided	Detox - 4-10 days - 6 bedsAdmit clients on methadone
	Services for Pregnancy	Pregnant women receive priority treatment
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies
	Contact	Calder Centre - Youth Stabilization
	Information	2003 Arlington Ave Saskatoon SK S7J 2H6 Tel: (306) 655-4526 Fax: (306) 655-4527
		Fax: (306) 655-4527

Mental Health &	Population Addressed	Women and men (18 years and older) with substance use issues
Addiction	Services	Brief detox (12 - 24 hours); 4 female beds
Services	Provided	 Social detox (5 – 7 day program); 6 females beds
(Social		Admit clients on methadone
Detox, Brief		Addictions counselling
Detox)	Services for	Pregnant women receive priority treatment
	Pregnancy	
	Intake Process	Individuals can self refer
		HIV status requested during intake
	Contact	Mental Health & Addiction Services (Social Detox, Brief Detox)
	Information	201 Avenue O South
		Saskatoon, SK S7M 2R6
		Tel: (306) 655-4195
		Fax: (306) 655-4196
Inpatient P	rograms	
Calder Centre	Population Addressed	Women, men and youth with substance use issues
	Services Provided	 Inpatient treatment (28 day program for adults; 12 - 28 day program for youth); 16 female adult beds and 6 female youth beds Admit clients on methadone Group counselling and education
	Services for	Pregnant women receive priority treatment
	Pregnancy	 Women can continue treatment after giving birth but facilities not available to have babies room in
	Intake Process	 Referral required from a mental health and addictions worker Complete medical history, including HIV status, requested upon intake
	Contact	Calder Centre
	Information	2003 Arlington Avenue
		Saskatoon, SK S7J 2H6
		Tel: (306) 655-4500
		Fax: (306) 655-4545

Sun Country	y Health Regio	on - http://www.suncountry.sk.ca/
Outpatient	Programs	
Community Support	Population Addressed	Women, men and youth with substance use issues
Program	Services Provided	 Transitional housing for those in early recovery that need supportive housing; three 2 bed units Admit clients on methadone
	Services for Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact Information	Community Support Program Sun County Health Region
		1176 Nicholson Road Estevan , SK S4A 2V6
Sun Country Addiction	Population Addressed	Tel: (306) 637-2420 or 637-2757 • Women, men and youth with substance use issues
Services	Services Provided	Outpatient treatment Admit clients on methadone
	Services for	 Outreach and education Admit clients of methadorie Admit pregnant women
	Pregnancy	Admit pregnant women
	Intake Process	Individuals can self refer or referrals can be done by outside agencies
	Contact Information	Addiction Services Box 2003, 900 Saskatchewan Drive Weyburn, SK S4H 2Z9 Tel: (306) 842-8693 Fax: (306) 842-8692 Addiction Services (Youth) Box 5000, 1176 Nicholson Road Estevan, SK S4A 2V6 Tel: (306) 637-2465 Fax: (306) 634-2015 St. Joseph's Addiction Services 1176 Nicholson Road Estevan, SK S4A 2V6 Tel: (306) 637-2422 Fax: (306) 637-2498

		Addiction Services Kipling Memorial Health Centre Box 420, 803 - 1st Street Kipling, SK SOG 2S0 Tel: (306) 736-2363 Fax: (306) 736-2271	
Sunrise Hea	ilth Region - h	ttp://www.sunrisehealthregion.sk.ca/	
Outpatient			
Addictions Services	Population Addressed	Women, men and youth with substance use issues	
Yorkton	Services Provided	 Outpatient treatment Admit clients on methadone Assessments and referrals Workshops, presentations and resource material 	
	Services for Pregnancy	Admit pregnant women	
	Intake Process	Individuals can self refer or referrals can be done by family or outside agencies	
	Contact Information	Mental Health and Addictions 270 Bradbrooke Dr Yorkton, SK S3N 2K6 Centralized Intake Toll-free: 1-888-989-8444 Tel: (306) 786-0520 Fax: (306) 786-0525 Addictions Services Saul Cohen Centre 200 Heritage Drive Melville, SK S0A 2P0 Fax: 306-786-0556	

Appendix D: Out-of-Province Canadian Substance Use Treatment Programs That Provide Services for Pregnant Women

It is important to note that in order to access out-of-province treatment, an assessment must first be completed by a Saskatchewan addictions counsellor. If it is determined that there is not a treatment program in Saskatchewan that meets the woman's needs, she can be referred to an out-of-province program; otherwise the cost of the program would not be covered by the province.

The following table is organized by province, starting in the west and going east.

		CANADA
BRITISH COLUMBIA RE	GION	
BC Women's Hospital and Health	Population Addressed	Women with substance use issues and substance- exposed newborns
Centre Fir Square Combined Care Unit	Services Provided	 First program in Canada to care for and treat women who use substances and substance-exposed newborns in a single unit Focuses on harm reduction Admit women on methadone Alcohol and drug counselling Referrals (e.g., housing, parenting groups, spiritual care) Specialized care for infants (e.g., withdrawal needs) Parenting education
	Services for Pregnancy	 Admit pregnant women Provides antepartum to postpartum care Helps to keep mothers with their child(ren)
	Contact Information	Fir Square BC Women's Hospital 4500 Oak Street Vancouver, BC V6H 3N1 Ph: (604) 875-2229 Website: http://www.bcwomens.ca/Services/PregnancyBirth Newborns/HospitalCare/SubstanceUsePregnancy.htm

Carrier Sekani Family Services	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
50. 11003	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 1219 Vanderhoof, BC VOC 3A0 Ph: (250) 567-2900 Email: mjanzen@csfs.org
Hey-Way-Noqu Healing Circle for	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
Addictions Society	Services Provided	 Inpatient and outpatient treatment Family treatment Admit clients on methadone Counselling including child, parent/child, and couples
	Services for Pregnancy	Admit pregnant women
	Contact Information	401-1638 E Broadway Vancouver, BC V5N 1W1 Ph: (604) 874-1831 Email: heywaynoqu@telus.net
Interior Native Alcohol and Drug	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
Abuse Society	Services Provided	Inpatient treatment Couples counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	200 Emery Louis Road Armstrong, BC V0E 1B5 Ph: (250) 546-3077 Email: execdirector@roundlake.bc.ca
Kackaamin Family Development Centre	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
	Services Provided	 Inpatient treatment Family treatment Counselling including child, parent/child, and couples
	Services for Pregnancy	Admit pregnant women
	Contact Information	7830 Beaver Creek Road Port Alberni, BC V9Y 8N3 Ph: (250) 723-7789 Email: sadie.g@kackaamin.org

Namgis Treatment Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatmentCounselling including parent/child, and couples
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 290 Albert Bay, BC VON 1A0 Ph: (250) 974-5522
Nengayni Wellness Centre	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
	Services Provided	 Inpatient treatment Admit clients on methadone Family treatment Counselling including child, parent/child, and couples
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 2529 Williams Lake, BC V2G 4P2 Ph: (250) 989-0301 Email: walphonse@nengayni.com
North Wind Healing Centre Society	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient and outpatient treatmentAdmit clients on methadone
	Services for Pregnancy	Admit pregnant women
	Contact Information	5524 Graham Road Farmington, BC VOC 1N0 Ph: (250) 843-6977 Email: <u>vishak@pris.ca</u>
Raven's Moon Resources	Population Addressed	Includes women with children, with children in care, and pregnant women
	Services Provided	Residential drug rehab program
	Services for Pregnancy	Has a supportive house for women who are pregnant
	Contact Information	3401 Shuswap Terrace Abbotsford, BC V2T 4Z4 Ph: (604) 855-8322 Email: ravensmoonresources@hotmail.com

Sheway (Vancouver Rehabilitation	Population Addressed	Pregnant and parenting women with substance use issues
Services)	Services Provided	 Assistance and counselling for substance use Staff includes medical personnel, support workers, and counsellors Harm-reduction Drop-in centre
	Services for Pregnancy	 Pregnant women receive priority treatment Provides prenatal and postnatal care including prenatal vitamins, maternity clothes, and access to appropriate medical care (for mother and baby)
	Contact Information	Sheway c/o National Indian & Inuit Community Health Representatives Organization PO Box 1019 1 Roy Montour Road Kahnawake, QC JOL 1B0 Ph: (450) 632-0892 Website: http://www.niichro.com/fas/fas_9.html
Spirit Bear Centre Society	Population Addressed	First Nations and Inuit women with substance use issues
	Services Provided	 Inpatient treatment for women Family treatment Counselling including child and parent/child
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 2548, 31530 Brookside Avenue Abbotsford, BC V2T 6R3 Ph: (604) 864-0553 Email: ined@shaw.ca
Three Voices of Healing Society	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient and outpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	3246 Riverview Road Creston, BC VOB 1G2 Ph: 250-428-5516 Email: director@healingisajourney.com

Tsow-Tun Le Lum	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 370 Lantzville, BC VOR 2H0 Ph: (250) 390-3123 Email: info@tsowtunlelum.org
ALBERTA REGION		
Aventa	Population Addressed	Women with alcohol, drug, and gambling addictions
	Services Provided	 Treatment, education, and support to women with substance use issues in a phased-in program Individual and group counselling Continuing care Nobody's Perfect Parenting Program Momentum Financial Literacy Program Fitness centre
	Services for Pregnancy	 Pregnant women receive priority treatment Phase I: priority admission for pregnant women who require immediate support and stabilization Phase II: an intensive residential program that provides individual and group counselling Phase III: a residential treatment program for women that offers individual and group counselling with a strong educational and skill building component
	Contact Information	Aventa 610 25 Ave SW Calgary, AB T2S 0L6 Ph: (403) 245-9050 Email: info@aventa.org Website: http://www.aventa.org/home.html

First Steps Program	Population Addressed	Pregnant women with a high risk of alcohol use and abuse
	Services Provided	 Access to addictions treatment Support program to help women stabilize their life situation including clothing, shelter, food, and general health care Access to community supports Childcare
	Services for Pregnancy	 First Steps Program: an intensive, long term, one-on-one mentoring program for women at high risk for giving birth to a baby who has been exposed prenatally to alcohol Provides prenatal care
	Contact Information	Catholic Social Services #2 9137 Jasper Avenue Edmonton, AB T5H 3T3 Ph: (780) 477-1999 Ext 231 Website: http://www.catholicsocialservices.ab.ca/CSSFindServices byCategory/childrenfamilyandcommunity.aspx?id=143
Footprints Healing Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatmentParent/child and couples counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 3570 Morinville, AB T8R 1S3 Ph: (780) 939-3544
Kainai Adolescent Treatment Centre	Population Addressed	First Nations and Inuit youth (12 - 17 years) with substance use issues
	Services Provided	Inpatient treatmentAdmit clients on methadoneCounselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 120 Standoff, AB TOL 1Y0 Ph: (403) 653-3315 Email: rob_calf@hotmail.com

Kapown Rehabilitation Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided Services for	 Inpatient and outpatient treatment Admit clients on methadone Family treatment Couples counselling
	Pregnancy	Admit pregnant women
	Contact Information	Box 40 Grouard, AB TOG 1C0 Ph: 780-751-3921 Email: connie.mckee@kapown.ca Website: www.kapown.ca
Poundmaker's Lodge	Population Addressed	Youth and adults with substance use issues, including pregnant women
	Services Provided	 Residential treatment program Individual and group therapy Cultural and spiritual care Psychological services Life skills programming
	Services for Pregnancy	Pregnant women receive priority treatmentAdmit women with high risk pregnancies
	Contact Information	Box 34007 Kingsway Mall Edmonton, AB T5G 3G4 Ph: (780) 458-1884 Email: info@poundmaker.org Website: http://poundmakerlodge.com/
St. Paul Treatment Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 179 Cardston, AB TOK 0K0 Ph: (403) 737-3757 / (888) 737-3757 (toll free)

Mark Amy Centre Services Provided Services Provided Services for Pregnancy Addressed Services for Pregnancy Admit pregnant women	Wood Buffalo	Population	First Nations and Inuit women and men with substance
Services Provided Services Provided Provided Provided Provided Provided Program Program Program Program Program Program Program Program Program Provided Population Addressed Provided Prov		•	
Provided Couples counselling	•		
Services for Pregnancy Box 5748 Fort McMurray, AB T9H 4V9 Ph: (780)-334-2398		Provided	·
Pregnancy Box 5748 Fort McMurray, AB T9H 4V9 Ph: (780)-334-2398		Services for	
Information Fort McMurray, AB T9H 4V9 Ph: (780)-334-2398		Pregnancy	, ,
MANITOBA REGION Addictions Foundation of Manitoba Population Addressed Services Provided Services Provided		Contact	Box 5748
Manitoba Population Addressed Services Provided Provid		Information	• 1
Addictions Foundation of Manitoba Services Provided Provided Services Provided Pro			Ph: (780)-334-2398
Addressed issues			
Services Provided Octoor Community-based and residential-based treatment options Methadone Intervention & Needle Exchange (MINE) harm reduction program Individual assessment Individual, group, and family counselling Continuing care and ongoing support to help individuals follow through on their treatment plans Pregnanty Pregnant women receive priority treatment River House: residential rehabilitation facility for women On-site physicians and psychologists		•	
Provided Provided Community-based and residential-based treatment options Methadone Intervention & Needle Exchange (MINE) harm reduction program Individual assessment Individual, group, and family counselling Continuing care and ongoing support to help individuals follow through on their treatment plans Services for Pregnancy Pregnant women receive priority treatment River House: residential rehabilitation facility for women On-site physicians and psychologists Contact Information Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided Population Addressed Services Provided Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as			
options Methadone Intervention & Needle Exchange (MINE) harm reduction program Individual assessment Individual, group, and family counselling Continuing care and ongoing support to help individuals follow through on their treatment plans Services for Pregnancy Pregnancy On-site physicians and psychologists Contact Information Uninipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided Provided Nethadone Intervention & Needle Exchange (MINE) harm reduction program Pregnant women receive priority treatment Pregnant women receive priority	Widilitoba		·
Methadone Intervention & Needle Exchange (MINE) harm reduction program Individual assessment Individual, group, and family counselling Continuing care and ongoing support to help individuals follow through on their treatment plans Services for Pregnancy Pregnant women receive priority treatment River House: residential rehabilitation facility for women On-site physicians and psychologists Contact Information Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Behavioural Health Foundation Behavioural Health Foundation Behavioural Health Foundation Contact Information Addressed Services Provided Addressed Services Provided Addressed Services: occurring mental health concerns Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as		Provided	·
harm reduction program Individual assessment Individual, group, and family counselling Continuing care and ongoing support to help individuals follow through on their treatment plans Services for Pregnancy Pregnancy Niver House: residential rehabilitation facility for women On-site physicians and psychologists Contact Information Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided Provided harm reduction program Pregnanty Nouncial, group, and family counselling support to help individuals follow through on their treatment plans Pregnant women receive priority treatment Nouncial rehabilitation facility for women Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Women, men, youth, and family units with substance use issues and co-occurring mental health concerns Long-term residential treatment programs Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as			-
Individual assessment Individual, group, and family counselling Continuing care and ongoing support to help individuals follow through on their treatment plans Services for Pregnancy			
Continuing care and ongoing support to help individuals follow through on their treatment plans Services for Pregnancy Pregnant women receive priority treatment River House: residential rehabilitation facility for women On-site physicians and psychologists Contact Information Contact Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Behavioural Health Foundation Services Provided Contact Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm On-site physicians and psychologists Contact Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm On-site physicians and psychologists Contact Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm On-site physicians and psychologists Contact Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Addressed Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Addressed Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Addressed Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Addressed Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Addressed Vinnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Addressed Vinnipeg, MB Ad			. •
Services for Pregnancy Pregnant women receive priority treatment			Individual, group, and family counselling
Services for Pregnancy • Pregnant women receive priority treatment • River House: residential rehabilitation facility for women • On-site physicians and psychologists Contact Information Information Contact Information Foundation Behavioural Health Foundation Population Addressed Services Provided • Pregnant women receive priority treatment • River House: residential rehabilitation facility for women • River House: residential realment • Women, men, youth, and family units with substance use issues and co-occurring mental health concerns • Long-term residential treatment programs • Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training • Accommodate dependents of people in treatment as			Continuing care and ongoing support to help individuals
Pregnancy River House: residential rehabilitation facility for women On-site physicians and psychologists Contact Information Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Provided Population Addressed Services Provided Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as			follow through on their treatment plans
women On-site physicians and psychologists Contact Information Information Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided Provided Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as			Pregnant women receive priority treatment
Contact Information Information		Pregnancy	River House: residential rehabilitation facility for
Contact Information 1031 Portage Avenue			
Information Winnipeg, MB Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided Provided Population Addressed Services Provided Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as		• • •	
Ph: 204-944-6236 Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided • Women, men, youth, and family units with substance use issues and co-occurring mental health concerns • Long-term residential treatment programs • Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training • Accommodate dependents of people in treatment as			-
Fax: 204-786-7768 Website: http://www.afm.mb.ca/index.htm Population Addressed Services Provided • Women, men, youth, and family units with substance use issues and co-occurring mental health concerns • Long-term residential treatment programs • Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training • Accommodate dependents of people in treatment as		imormation	, =
Population Addressed Women, men, youth, and family units with substance use issues and co-occurring mental health concerns			
Foundation Addressed use issues and co-occurring mental health concerns • Long-term residential treatment programs • Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training • Accommodate dependents of people in treatment as			Website: http://www.afm.mb.ca/index.htm
Foundation Addressed use issues and co-occurring mental health concerns • Long-term residential treatment programs • Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training • Accommodate dependents of people in treatment as	Behavioural Health	Population	Women, men, youth, and family units with substance
 Adult & Family Services: counselling, referrals, healthy living, Aboriginal Traditional programming, vocational training Accommodate dependents of people in treatment as 	Foundation	·	
living, Aboriginal Traditional programming, vocational training • Accommodate dependents of people in treatment as		Services	Long-term residential treatment programs
training • Accommodate dependents of people in treatment as		Provided	Adult & Family Services: counselling, referrals, healthy
Accommodate dependents of people in treatment as			, ,
			_
annronriato			·
		Comileo Co	appropriate
Services for Provides information on pre- and postnatal care, outgrowing addictions, women's issues			·
Contact Behavioural Health Foundation 35 Ave de la Digue, Box 250			
St. Norbert, MB R3V 1L6			
Ph: (204) 269-3430			·
website: http://www.bhf.ca/index.html			·

	f .	
Native Addictions Council of Manitoba	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	 Inpatient and outpatient treatment Counselling including child, parent/child, and couples
	Services for Pregnancy	Admit pregnant women
	Contact Information	160 Salter Street Winnipeg, MB R2W 4K1 Ph: 204-586-8395 Email: nacm@escape.ca
Nelson House Medicine Lodge	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatmentCouples counsellingAdmit clients on methadone
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 458 Nelson House, MB R0B 1A0 Ph: (204) 484-2256 Email: eazure@medicinelodge.ca
Pegius Al-Care Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient and outpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 69 Peguis, MB ROC 3J0 Ph: 204-645-2666 Email: nacm@escape.ca
Sagkeeng Mino Pimatiziwin Family	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
Treatment Centre	Services Provided	 Inpatient treatment Family treatment Counselling, including, child, parent/child, and couples
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 84 Fort Alexander, MB ROE 0P0 Ph: (204) 367-2172 Email: director@sagkeengfamilytreatment.ca

	T	
Whiskyjack Treatment Centre	Population Addressed	 First Nations and Inuit youth (12 to 17 years) with substance use issues
	Services	Inpatient treatment
	Provided	Child and parent/child counselling
	Services for	Admit pregnant women
	Pregnancy	1 0
	Contact	Box 580
	Information	Norway House, MB ROB 1B0
		Ph: (204) 359-8995
		Email: rkozak@wtcentre.ca
ONTARIO REGION		
Addictions Services for York Region	Population Addressed	Anyone 12 years of age and older who is affected by substance use or problem gambling
	Services	Outreach and specialized services for select groups,
	Provided	including pregnant women
	11001000	Referrals to internal programs, other community
		services as appropriate, and external substance use
		services
		Information about addictions
		Social support groups and counselling
	Services for	Umbrella program for women who are pregnant or
	Pregnancy	parenting young children (up to 3 years old) and are
		also involved with drugs and/or alcohol
		Program includes assessment, counselling, information,
		referrals, and support
	Contact	Addiction Services for York Region (ASYR)
	Information	14785 Yonge Street, Unit 210
		Aurora, ON L4G 1N1
		Ph: (905) 841-7007
		Website: http://www.asyr.ca/intake.html
Alternatives for	Population	Youth aged 13-22, including pregnant females and
Youth	Addressed	females with children 6 months of age or younger
	Services Provided	Assessment and outpatient counselling
	Services for	Admit pregnant women
	Pregnancy	
	Contact	Alternatives for Youth
	Information	Main Street Location
		110-100 Main Street E.
		Hamilton, ON L8N 3W4
		Ph: (905) 527-4469
		Email: admin@ay.on.ca

Amethyst Women's Addiction Centre	Population Addressed	Women with alcohol and/or drug addictions
	Services Provided	 Personalized program for women with substance issues including: case management, assessment, treatment planning, advocacy, and referrals Information about substance use and healthy lifestyles
	Services for Pregnancy	Early Childhood Development Program: focuses on pregnant women with addictions, as well as parenting women with addictions
	Contact Information	Amethyst Women's Addiction Centre 488 Wilbrod Street Ottawa, ON K1N 6M8 Ph: (613) 563-0363 Email: info@amethyst-ottawa.org Website: http://www.amethyst-ottawa.org/contact_e.html
Anishnawbe Health Toronto	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Outpatient treatment Admit clients on methadone
	Services for Pregnancy	Admit pregnant women
	Contact Information	22 Vaughan Road Toronto, ON M6G 2N1 Ph: (416)657-0379 Email: <u>bwaboose@aht.ca</u>

Breaking the Cycle (A Mothercraft Early Intervention Program	Population Addressed	Pregnant and parenting women with substance use and abuse issues
	Services Provided	 Early identification and prevention program designed to reduce the risk of substance use related harms and to enhance development for substance-exposed children Addictions counselling Health and medical services Parenting support (group and individual), developmental screening and assessment, early childhood interventions (including access to FASD Diagnostic clinic), and childcare Basic needs support Education about addictions, life skills, nutrition, and infant development
	Services for Pregnancy	 Breaking the Cycle Pregnancy Outreach Program provides information, resources, education, and case management support to homeless, pregnant women with substance use issues Relapse Prevention Group & Recovery Group promotes continuing recovery to women in the early stages of recovery
	Contact Information	Breaking the Cycle 761 Queen Street West Toronto, ON M6J 1G1 Ph: (416) 364-7373 Email: btcycle@mothercraft.org Website: http://www.mothercraft.ca/index.php?q=breaking-the-cycle
Dilico Adult Residential	Population Addressed	First Nations and Inuit women and men with substance use issues
Treatment Centre	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	120 Carp River Road Thunder Bay, ON P7J 1K1 Ph: (807) 623-7963 Email: johndixon@dilico.com

Grace Haven	Population Addressed	Women, adolescents, and single parent families with substance use issues
	Services Provided	 Residential and community programs Counselling and peer support Assessment, treatment, and referrals High school program; Recreation Parenting information Services for children
	Services for Pregnancy	 New Choices Program: a 'one-stop' setting for pregnant and parenting women/teens with substance use concerns Prenatal classes and postnatal education
	Contact Information	New Choices Program 431 Whitney Ave Hamilton, ON L8S 2H6 Ph: (905) 522-5556 Website: http://www.inform.hamilton.ca/record/HAM0525?Use CICVw=38
Heartspace	Population Addressed	Women with substance use issues who are pregnant or parenting children aged 0-6 years
	Services Provided	 Access to professional counsellors and group sessions Referrals to outside services
	Services for Pregnancy	Provides support for pregnant and parenting women, including childcare
	Contact Information	Heartspace Program Services Suite 200 Queens Ave, Suite 260 London, ON N6A 1J3 Ph: (519) 673-3242 ext 232 Email: lgriffith@adstv.on.ca Website: http://www.adstv.on.ca/heartspace.htm
Hope Place Centres	Population Addressed	Women and families with substance use issues
	Services Provided	 Outpatient and inpatient facilities Individualized assessment Individual and group counselling Parenting group
	Services for Pregnancy	 Pregnant women receive priority treatment Baby's Best Beginnings Program for women who are pregnant or parenting children 0-6 years of age
	Contact Information	775 Pacific Rd, Unit 34 Oakville, ON L6L 6M4 Ph: (905) 465-3324 Email: heatherm@hopeplacecentres.org Website: www.hopeplacecentres.org

Jean Tweed Treatment Centre	Population Addressed	Women with substance use issues, including pregnant women and/or mothers with children 6 months of age or younger
	Services Provided	 Residential, day, and outpatient programs Family and trauma counselling Continuing care groups On-site licensed child development centre Parenting and attachment workshops
	Services for Pregnancy	 Admit pregnant women Outreach services in various locations across the city for pregnant women
	Contact Information	Toronto, ON (3 locations) Email: info@jeantweed.com Website: jeantweed.com
Migisi Alcohol and Drug Treatment	Population Addressed	First Nations and Inuit women and men with substance use issues
Centre	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 1340 Kenora, ON P9N 3X9 Ph: (807) 548-5959 Email:mmigisi@northone.ca
Nimkee Nupigawagan	Population Addressed	First Nations and Inuit youth (12 to 17 years) with substance use issues
Healing Centre	Services Provided	Inpatient treatmentAdmit clients on methadoneChild and parent/child counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	20850 Muncey Road P.O. Box 381 Muncey, ON NOL 1Y0 Ph: (519) 264-2277 Email: mardel@nimkee.org

Thunder Bay Counselling Centre	Population Addressed	Youth and adults with substance use issues
Counselling Centre	Services Provided Services for Pregnancy Contact Information	 Confidential assessments and treatment planning Counselling and education groups On-going case management and relapse prevention Pregnancy and Health Program: teaches healthier ways of living and parenting skills Thunder Bay Counselling Centre 544 Winnipeg Avenue Thunder Bay, ON P7B 3S7 Ph: (807) 684-1880 Email: community@tbaycounselling.com Website: http://www.tbaycounselling.com/addictionmental
St. Mary's Program for Pregnant and	Population Addressed	Young women, aged 24 or younger, who are pregnant or parenting children under 6 years of age
Parenting Young Women	Services Provided	 Assessments and counselling for substance use issues Education and advocacy Recovery and aftercare counselling
	Services for Pregnancy	 Admit pregnant young women Goal: ensure healthy pregnancies and parenting experiences
	Contact Information	St. Mary's Home Community Outreach and Program Centre 780 rue De L'Èglise Ottawa, ON Ph: (613) 749-2491 ext. 705
The Toronto Centre for Substance Use in	Population Addressed	Pregnant women with substance use issues
Pregnancy	Services Provided	 Focuses on providing comprehensive prenatal care and addiction treatment in a family medicine setting Access to an interdisciplinary team Prenatal and postnatal medical care Addiction counselling and information on treatment Mental health services
	Services for Pregnancy	'One-stop access' model: provides comprehensive services for pregnant women with a history of alcohol and/or drug abuse
	Contact Information	Toronto Centre for Substance Use in Pregnancy Family Medicine Centre St. Joseph's Health Centre 30 The Queensway Toronto, ON M6R1B5 Ph: (416) 530-6860 Website: http://www.stjoe.on.ca/programs/family/tcup.php

Womankind Addiction Service	Population Addressed	Women/men/youth with substance use issues, including pregnant women & mothers of children 6 months & younger
	Services Provided	Community treatmentClient-centred careHealth promotion and education
	Services for Pregnancy	Admit pregnant women
	Contact Information	Womankind Addiction Service St. Joseph's Healthcare Hamilton 431 Whitney Avenue Hamilton, ON L8S 2H6 Ph: (905) 521-9591 ext. 232
QUEBEC REGION		
Centre de réadaptation Miam	Population Addressed	First Nations and Inuit women and men with substance use issues
Uapukun Inc.	Services Provided	Inpatient treatmentCouples counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	181 de l'eglise, Maliotenam, QC G4R 4K2 Ph: (418) 927-2254 Email: centreka@globetrotter.net
Centre de réadaptation Wapan	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient and outpatient treatmentAdmit clients on methadone
	Services for Pregnancy	Admit pregnant women
	Contact Information	3611 boul. Ducharme Latuque, QC G9X 3P3 Ph: (819) 523-7641
Mawiomi Treatment Services Inc.	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient and outpatient treatmentCouples counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 1068 Gespapegiag, QC G0C 1Y0 Ph: (418) 759-3522 Email: Mawiomi@globetrotter.net

Onen'to:kon Treatment Services	Population Addressed	First Nations and Inuit women and men with substance use issues
Treatment services	Services	Inpatient treatment
	Provided	
	Services for Pregnancy	Admit pregnant women
	Contact	380 St. Michel
	Information	Kanehsatake, QC J0N 1E0 Ph: (450) 479-8353
		Email: onento.kon@qc.aibn.com
Portage Quebec Mother and Child	Population Addressed	Substance-dependent adolescents, mothers, and pregnant women
Program	Services Provided	Substance-abuse therapy; Individual case managementParenting help and daycare for children
	Services for Pregnancy	 Residential program based on a therapeutic community approach Provides information on pre- and postnatal care,
		outgrowing addictions, women's issues, and parenting
	Contact Information	Portage Quebec, Mother and Child Program Ph: (514) 935-3152 (Confidential address)
	mormation	website: http://www.portage.ca/welcome
Walgman Centre	Population Addressed	First Nations and Inuit youth (12 to 17 years) with addictions
	Services	Inpatient treatment
	Provided Services for	Child counselling Admit prograph warmen
	Pregnancy	Admit pregnant women
	Contact Information	75 School Street Gespagegiag, QC GOC 1Y0 Ph: (418) 759-3006 Email: edwalgwan@globetrotter.net
Wanaki Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services	Inpatient treatment
	Provided Services for	Family treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	Box 37 Maniwaki, QC J9E 3B3 Ph: (819) 449-7000 Email: pdumont@wanakicentre.com

ATLANTIC REGION		
Eagles Nest Recovery House	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	P.O. Box 263 Shubenacadie, NS BON 2H0 Ph: (902) 758-4277 Email: nest@eastlink.ca
Lone Eagle Treatment Centre	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	491 Graham Road Elsipogtog, NB E4W 2T8 Ph: (506) 523-8244
Mi'kmaw Lodge Treatment	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatmentCouples counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	70 Gabriel Street, Box 7824 Eskasoni, Cape Breton, NS B1W 1B4 Ph: (902) 379-2267 Email: mcgee@nadaca.ca
Rising Sun	Population Addressed	First Nations and Inuit women and men with substance use issues
	Services Provided	Inpatient treatmentFamily treatmentParent/child treatment
	Services for Pregnancy	Admit pregnant women
	Contact Information	31 Riverview Road West Eel Ground, NB E1V 4G2 Ph: 506-627-4526 Email: egrs@nbnet.nb.ca

Wolastoqewiyik Healing Lodge	Population Addressed	First Nations and Inuit women, men, and youth with substance use issues
	Services Provided	Inpatient and outpatient treatmentParent/child and couples counselling
	Services for Pregnancy	Admit pregnant women
	Contact Information	13309 Route 105 Tobique First Nation, NB E7H 5K1 Ph: 506-273-5403 Email: diannap tobiquehealing lodge@nb.aibn.com

Appendix E: American Substance Use Treatment Programs for Pregnant Women

UNITED STATES OF AMERICA			
Bowling Green Brandywine	Population Addressed	Women, men and youth with substance use issuesSpecializes in opiate users and pregnant women	
	Services Provided	 12-step program Detoxification Residential treatment Personalized assessment and evaluation Access to medical staff and medical management of addictions Individual and group counselling 	
	Services for Pregnancy	Pregnant Female Specialty Service: focuses on the issues that pregnant women with addictions face to promote the health of the mother and child	
	Contact Information	Bowling Green Brandywine PO Box 787 1375 Newark Road Kennett Square, PA 19348 Ph: (888) 307-6237 (toll free) Website: http://www.bowlinggreenbrandywine.com/	
The Canyon	Population Addressed	 Individuals with a combination of mental illness, behavioural problems, and/or substance use issues Includes pregnant women with addictions 	
	Services Provided	 Clinically-based drug addiction treatment program Outpatient and residential services available Medical personnel and support Family and individual counselling After-care support (Alumni Program) 	
	Services for Pregnancy	Personalized program that focuses on reducing the risks related to detoxification during pregnancy	
	Contact Information	The Canyon Malibu, CA Ph: (877) 714-1319 Website: http://www.thecyn.com/	

Center for Addictions and Pregnancy (Johns Hopkins Bayview Medical Center)	Population Addressed	Women with substance use issues, including pregnant women and their substance-affected babies
	Services Provided	 Daily individual and group therapy focused on a variety of topics including relapse prevention, physical and psychological trauma, HIV education, substance use education, parenting, and stress management Methadone maintenance Case management, referrals, and coordination with community resources Health care services including: psychiatry, paediatrics, and family planning Transportation
	Services for Pregnancy	 Program includes obstetrical and gynaecological care Goals include: reducing the number and severity of obstetric complications, including HIV infection; delivering healthier infants, ensuring initial and long-term paediatric assessments and care to the neonate and other children of program patients
	Contact Information	4940 Eastern Avenue Baltimore, MD 21224 Ph: (410) 550-3020 Website: http://www.hopkinsmedicine.org/psychiatry/bayview/ substance_abuse/center_addiction_pregnancy.html
Kaiser Permanente's	Population Addressed	Pregnant and parenting women with substance use issues
Early Start Program	Services Provided	 Individual counselling, couples and family counselling Medical care Advocacy Parenting information
	Services for Pregnancy	 Goal of the program is to support women to make healthy choices about substance use during pregnancy and after the baby is born Integration of substance use treatment with routine prenatal care
	Contact Information	Numerous sites throughout California Website: http://xnet.kp.org/earlystart/index.html

A1.	D 1.12	
New Directions for Women	Population Addressed	Women with substance use issues, including pregnant and parenting women
	Services Provided	 Inpatient residential rehabilitation, intensive outpatient rehabilitation (including evenings), and intensive sober living addiction rehabilitation treatment Individual and group therapy (including experiential therapy, trauma therapy, and equine therapy) Staff includes a nurse practitioner, medical doctor, psychiatrist, and addiction specialist Parenting education, family and play therapy, and Mommy and Me bonding time After-care services
	Services for Pregnancy	 Includes individual medical care and assessments Tailored treatment that takes the pregnant woman and her family into account
	Contact Information	New Directions for Women 2607 Willo Lane Costa Mesa, CA 92627 Ph: (800) 939-6636 website: http://www.newdirectionsforwomen.org/
Orchid Recovery	Population Addressed	Women with substance use issues
Center For Women	Services Provided	 Personalized program for recovery from drug addiction Individual sessions with medical professionals Group and family therapy; information about nutrition
	Services for Pregnancy	Orchid Program: focuses on women's needs regarding addiction treatment by providing personalized recovery programs
	Contact Information	Drug and Alcohol Rehabilitation Centers 2925 10 th Avenue N Palm Springs, FL 33461 Ph: (888) 672-4435 (toll-free) Website: http://www.orchidrecoverycenter.com/
The Phoenix Center	Population Addressed	Women with substance use issues, including pregnant women
Serenity Place	Services Provided	 Residential treatment program; access to medical personnel Childcare; parenting and life skills education
	Services for Pregnancy	 Pregnant women receive priority treatment Focuses on parenting, creating a positive environment for the family, independent living skills Medical monitoring provided by a registered nurse and physician
	Contact Information	The Phoenix Center Serenity Place, 1400 Cleveland Street Greenville, SC 29607 Ph: (864) 467-3790 website: http://www.phoenixcenter.org/

SSTARBIRTH ⁸ (Stanley Street Treatment and Resources)	Population Addressed	Pregnant and postpartum women who are dealing with substance use and abuse
	Services Provided	 Residential treatment and outpatient services Case management Individual and family counselling Mental health support Transportation to appointments Parenting information Vocational education On-site licensed daycare
	Services for Pregnancy	SSTARBIRTH: provides on site, or coordinates through its program, many of the comprehensive services that recovering women and their children require
	Contact Information	SSTARBIRTH 80 East Street Cranston RI 02920 Ph: (401) 463-6001 Website: http://www.sstar.org/site/SSTARBirth.asp
Western Psychiatric Institute and Clinic	Population Addressed	Women, men and youth with substance use issues and dual disorders
	Services Provided	 Inpatient, day, and community-based outpatient services Individualized treatment plans Medically managed withdrawal, including methadone Education about illness, treatment, relapse prevention, and recovery
	Services for Pregnancy	Specialized programs for pregnant women
	Contact Information	Western Psychiatric Institute and Clinic 3811 O'Hara Street Pittsburg, PA 15213 Ph: (877) 624-4100 Website: http://www.upmc.com/hospitalsfacilities/hospitals/wpic/services/pages/addiction-medicine.aspx

-

⁸ This program may provide services for pregnant women who use substances and are living with HIV/AIDS. This program does provide services for pregnant women and for women living with HIV/AIDS. Although their website does not say so, there is potential for overlap. I emailed the program to get further details, but did not receive a response.

Appendix F: North American Substance Use Treatment Programs that Provide Specialized Services for Pregnant Women Living with HIV/AIDS

SASKATCHEW	SASKATCHEWAN					
No such progr	No such programs were found during the online search.					
CANADA						
The Sharp Foundation	Population Addressed	Individuals infected and affected by HIV/AIDS that are unable to live independently				
	Services Provided	 SHARP: providing widespread support for individuals with HIV/AIDS (i.e., those with substance abuse problems) Beswick House: long-term/palliative care for HIV+ individuals (including those with dual diagnoses such as addiction issues) Medical regimen maintenance; case management Doctor's appointments and visits (e.g., HIV specialist, psychiatrist, psychologist, social worker) 				
	Services for Pregnancy	 Project Kathleen – provides intensive care & support for highly vulnerable women with HIV/AIDS (including pregnant women) and/or addictions (including harm reduction strategies) 				
	Contact Information	The Sharp Foundation Box 172, #2 - 3012 17 Ave SW Calgary, AB T2A 0P9 Ph: (403) 272-2912 Email: info@thesharpfoundation.com Website: http://www.thesharpfoundation.com/				
UNITED STATI	ES OF AMERICA					
Bay Area Perinatal AIDS Center	Population Addressed	Women and families infected with and affected by HIV/AIDS				
	Services Provided	 Tailors medical and psychosocial services to the specific needs of each woman and her family before, during, and after pregnancy Alcohol and substance use treatment, including methadone Intensive case management, counselling, and social services for clients and their families Mental health treatment; parenting support and child-care 				
	Services for Pregnancy	 Preconception counselling for women and couples Prenatal and postpartum care including outpatient and inpatient high-risk obstetrics in conjunction with San Francisco General Hospital's Women's Health Center Nutrition and health in pregnancy education HIV testing for infant and family members 				
	Contact Information	BAPAC San Francisco General Hospital 1001 Potrero Avenue, 6D-33 San Francisco, CA 94110 Ph: (415) 206-8919 Website: http://php.ucsf.edu/bapac/				

Gratitude House	Population Addressed	Women with substance use issues, including those living with HIV/AIDS
	Services Provided	 Residential program including daily lectures, films, individual and group counselling, parenting classes, dual diagnosis evaluation and treatment, and learning conflict resolution and problem solving skills Outpatient treatment including a day treatment program and night programs Intervention Services program: provides assessments, case management, placement, referrals, and outreach services Intensive after-care/case management Education on HIV/AIDS
	Services for Pregnancy	 Intervention Specialist provides education on the impact of substance use on women and pregnancy MITT Program (Mothers and Infants in Treatment Together): designed for pregnant and post-partum women so that newborns and infants can stay with mothers while they receive treatment for substance use issues. This program arranges for multiple on and off site services, such as prenatal and postpartum medical care for the mothers, training in parenting and life skills, Mommy and me group, and other case management services. Hibiscus Haven: a safe house for chemically dependent HIV-positive females
	Contact Information	Gratitude House 1700 North Dixie Highway West Palm Beach, FL 33407 Ph: (561) 833-6826 Email: info@gratitudehouse.org Website: http://www.gratitudehouse.org/